


DeepCool PF450 power supply unit 450 W 20+4 pin ATX ATX Zwart

Merk : DeepCool
Artikelcode: R-PF450D-HA0B-EU
Productnaam : PF450



DeepCool PF450. Totaal vermogen: 450 W, AC-ingangsspanning: 200 - 240 V, AC-ingangsfrequentie: 50 Hz. Motherboard power connector: 20+4 pin ATX, Lengte stroomkabel moederbord: 55 cm, Lengte SATA-stroomkabel: 450 mm. Bedoeld voor: PC, Vormfactor van de voeding (PSU): ATX, 80 PLUS certificatie: 80 PLUS White. Kleur van het product: Zwart, Ventilator diameter: 12 cm. Breedte: 150 mm, Diepte: 40 mm, Hoogte: 86 mm



Energie		Poorten & interfaces	
Totaal vermogen *	450 W	Lengte stroomkabel randapparaat (Molex)	150 mm
AC-ingangsspanning *	200 - 240 V	EPS-voedingsconnector (4+4 pin)	✓
AC-ingangsfrequentie	50 Hz	PCI Express power connectors (6+2 pin)	2
Stroom	3.5 A	Lengte PCI Express-stroomkabel	51 cm
Gecombineerd vermogen (+3.3V)	100 W	Bekabelingstype	Niet-modulair
Gecombineerd vermogen (+12V)	420 W	Prestatie	
Gecombineerd vermogen (+5V)	100 W	80 PLUS certificatie *	80 PLUS White
Gecombineerd vermogen (-12V)	3,6 W	Bedoeld voor *	PC
Gecombineerd vermogen(+5Vsb)	12,5 W	Vormfactor van de voeding (PSU) *	ATX
Max huidige output (+3.3V)	15 A	ATX version	2.4
Max huidige output(+12V)	35 A	Bearing technologie	Hoes
Max huidige output (+5V)	15 A	Mean time between failures (MTBF)	100000 uur
Max huidige output (-12V)	0,3 A	Design	
Max huidige output (+5Vsb)	2,5 A	Kleur van het product	Zwart
Houd-tijd	16 ms	Ventilator diameter	12 cm
Efficiëntie	85 procent	Eisen aan de omgeving	
Stroomspanning bescherming	Te hoog vermogen, Overspanning, Kortsluiting	Bedrijfstemperatuur (T-T)	0 - 40 °C
Poorten & interfaces		Gewicht en omvang	
Motherboard power connector *	20+4 pin ATX	Breedte	150 mm
Lengte stroomkabel moederbord	55 cm	Diepte	40 mm
Aantal SATA power connectors	3		
Lengte SATA-stroomkabel	450 mm		

Poorten & interfaces		Gewicht en omvang	
Peripheral (Molex) power connectors (4-pin) *	1	Hoogte	86 mm
Technische details			
Duurzaamheidscertificaten		ErP	

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-SEP-2025. Prints or copies of Information are only valid on the printed Publication date