



Lenovo Legion R27q-30 computer monitor 68,6 cm (27") 2560 x 1440 Pixels Quad HD LED Zwart

Merk : Lenovo

Productfamilie: Legion

Artikelcode: 67B4GAC1EU

Productnaam : R27q-30

- 27", QHD 2560 x 1440

- IPS, 16:9, WLED

- 0.5 ms (MPRT), 165Hz

- 2 HDMI2.0+DP1.4

R27q-30 27"-beeldscherm

Lenovo Legion R27q-30. Beeldscherm diagonaal: 68,6 cm (27"), Resolutie: 2560 x 1440 Pixels, HD type: Quad HD, Display technologie: LED, Reactietijd: 4 ms, Oorspronkelijke beeldverhouding: 16:9, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. Ingebouwde luidsprekers. VESA-montage, In hoogte verstelbaar. Kleur van het product: Zwart



| Display | | Ergonomics | |
|-------------------------------------|----------------------|---|--------------|
| Display diagonal * | 68.6 cm (27") | Panel mounting interface | 100 x 100 mm |
| Display resolution * | 2560 x 1440 pixels | Cable management | ✓ |
| HD type * | Quad HD | Cable lock slot * | ✓ |
| Native aspect ratio * | 16:9 | Cable lock slot type | Kensington |
| Display technology * | LED | Height adjustment * | ✓ |
| Panel type * | IPS | Adjustable height (max) | 13.5 cm |
| Backlight type | W-LED | Pivot | ✓ |
| Touchscreen * | ✗ | Pivot angle | -90 - 90° |
| Display brightness (peak) | 400 cd/m² | Swivelling | ✓ |
| Display brightness (typical) | 350 cd/m² | Swivel angle range | 30 - 30° |
| Response time * | 4 ms | Tilt adjustment | ✓ |
| Anti-glare screen | ✓ | Tilt angle range | -5 - 22° |
| Screen shape * | Flat | | |
| Contrast ratio (typical) * | 1000:1 | Power | |
| Contrast ratio (dynamic) | 3000000:1 | Energy efficiency class (SDR) * | F |
| Maximum refresh rate * | 165 Hz | Energy efficiency class (HDR) * | G |
| Viewing angle, horizontal | 178° | Energy consumption (SDR) per 1000 hours * | 26 kWh |
| Viewing angle, vertical | 178° | Energy consumption (HDR) per 1000 hours * | 36 kWh |
| Display number of colours * | 1.07 billion colours | Power consumption (typical) * | 30 W |
| Pixel pitch | 0.233 x 0.233 mm | Power consumption (standby) * | 0.5 W |
| Pixel density | 109 ppi | Power consumption (max) | 50 W |
| Viewable size, horizontal | 59.7 cm | Power consumption (off) | 0.5 W |
| Viewable size, vertical | 33.6 cm | AC input voltage | 100 - 240 V |
| High Dynamic Range (HDR) supported | ✓ | AC input frequency | 50/60 Hz |
| High Dynamic Range (HDR) technology | DisplayHDR 400 | Power supply type | Internal |
| Colour depth | 10 bit | Energy efficiency scale | A to G |
| sRGB coverage (typical) | 99% | European Product Registry for Energy Labelling (EPREL) code | 1656085 |
| Response time (extreme) | 0.5 ms | | |
| DCI-P3 coverage | 90% | Weight & dimensions | |
| Performance | | Width (with stand) | 613.6 mm |
| NVIDIA G-SYNC * | ✗ | Depth (with stand) | 258.8 mm |
| AMD FreeSync * | ✓ | Height (with stand) | 392.4 mm |
| AMD FreeSync type | FreeSync Premium | Weight (with stand) | 5.8 kg |
| Low Blue Light technology | ✓ | Width (without stand) | 613.6 mm |
| | | Depth (without stand) | 58.5 mm |
| | | Height (without stand) | 367.6 mm |

| Performance | | Weight & dimensions | |
|-------------------------------------|------------------------|--------------------------|--|
| Windows operating systems supported | Windows 10, Windows 11 | Weight (without stand) | 3.9 kg |
| Multimedia | | Bezel width (side) | 2 mm |
| | | Bezel width (top) | 2 mm |
| | | Bezel width (bottom) | 2.2 cm |
| | | Packaging data | |
| Number of speakers | 2 | Package width | 820 mm |
| RMS rated power | 6 W | Package depth | 160 mm |
| Built-in speaker(s) * | ✓ | Package height | 500 mm |
| Built-in camera * | ✗ | Package weight | 9.2 kg |
| Design | | Warranty card | ✓ |
| Market positioning * | Gaming | Packaging content | |
| Product colour * | Black | Stand included | ✓ |
| Colour name | Raven black | Cables included | AC, DisplayPort |
| Front bezel colour | Black | Screws included | ✓ |
| Feet colour | Black | DisplayPort cable length | 1.8 m |
| Ports & interfaces | | Power cable length | 1.5 m |
| Built-in USB hub * | ✗ | Other features | |
| HDMI * | ✓ | Compliance certificates | RoHS |
| HDMI ports quantity | 2 | Certification | Eyesafe® Certified 2.0 TÜV |
| HDMI version | 2.1 | | Rheinland® Eye Comfort |
| DisplayPorts quantity | 1 | | Certification TÜV Rheinland Low Blue Light (Hardware Solution) |
| DisplayPort version | 1.4 | | |
| Audio output | ✓ | | |
| Headphone out * | ✗ | | |
| Ergonomics | | | |
| VESA mounting * | ✓ | | |



0197529365199



197529365199

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-MAR-2025. Prints or copies of Information are only valid on the printed Publication date