



## MSI MAG A850GL PCIE5 WHITE power supply unit 850 W 20+4 pin ATX ATX Wit

**Merk :** MSI

**Productfamilie:** MAG

**Artikelcode:** MAG A850GL  
PCIE5 WHITE




**Productnaam :** A850GL PCIE5  
WHITE

MSI MAG A850GL PCIE5 WHITE. Totaal vermogen: 850 W, AC-ingangsspanning: 100 - 240 V, AC-ingangsfrequentie: 47 - 63 Hz. Motherboard power connector: 20+4 pin ATX, Lengte stroomkabel moederbord: 60 cm, Bekabelingstype: Volledig modulair. Bedoeld voor: PC, Vormfactor van de voeding (PSU): ATX, 80 PLUS certificatie: 80 PLUS Gold. Kleur van het product: Wit, Type koeling: Actief, Ventilator diameter: 12 cm. Type verpakking: Doos



Energie		Poorten & interfaces	
Totaal vermogen *	850 W	Peripheral (Molex) power connectors (4-pin) *	4
AC-ingangsspanning *	100 - 240 V	EPS power connector (8-pin)	✗
AC-ingangsfrequentie	47 - 63 Hz	EPS-voedingsconnector (4+4 pin)	✓
Maximale ingangsstroom (@110V)	8 A	PCI Express power connectors (6+2 pin)	4
Maximale ingangsstroom (@220V)	4 A	CPU power connector (4+4 pin)	✓
Power Factor Correctie (PFC) type	Actief	ATX Power connector (24-pin)	✗
Gecombineerd vermogen (+3.3V)	110 W	ATX power connector (20+4 pin)	✗
Gecombineerd vermogen (+12V)	846 W	Bekabelingstype	Volledig modulair
Gecombineerd vermogen (+5V)	110 W	Prestatie	
Gecombineerd vermogen (-12V)	3,6 W	80 PLUS certificatie *	80 PLUS Gold
Gecombineerd vermogen(+5Vsb)	12,5 W	Bedoeld voor *	PC
Max huidige output (+3.3V)	20 A	Vormfactor van de voeding (PSU) *	ATX
Max huidige output(+12V)	70,5 A	Design	
Max huidige output (+5V)	20 A	Kleur van het product	Wit
Max huidige output (-12V)	0,3 A	Type koeling	Actief
Max huidige output (+5Vsb)	2,5 A	Ventilator diameter	12 cm
Efficiëntie	90 procent	Aantal ventilatoren	1 ventilator(en)
Stroomspanning bescherming	Overstroom, Te hoog vermogen, Overspanning, Oververhitting, Kortsluiting	Belichting	✗
Poorten & interfaces		Aan/uitschakelaar	✓
Motherboard power connector *	20+4 pin ATX	Verpakking	
Lengte stroomkabel moederbord	60 cm	Type verpakking	Doos
Aantal SATA power connectors	8	Logistieke gegevens	
		Code geharmoniseerd systeem (HS)	84733020



4711377115391



4711377115407

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.