



AOC G3 U32G3X/BK LED display 80 cm (31.5") 3840 x 2160 Pixels 4K Ultra HD Zwart, Rood

Merk : AOC

Productfamilie: G3

Artikelcode: U32G3X/BK

Productnaam : U32G3X/BK



Screen size (inch) 31.5, Panel resolution 3840x2160, Max Refresh rate 144 Hz, Response time MPRT 1 ms, Panel type IPS, HDMI HDMI 2.1 x 2, DisplayPort DisplayPort 1.4 x 2, Sync technology (VRR) Adaptive Sync


AOC G3 U32G3X/BK LED display 80 cm (31.5") 3840 x 2160 Pixels 4K Ultra HD Zwart, Rood:

Bereik nieuwe hoogten in je gameavonturen met de G-sync compatibele monitor, U32G3X/BK, die een indrukwekkend 31,5-inch scherm biedt met verbluffende 4K UHD-resolutie op 3840x2160.

De G-Sync compatibele U32G3X/BK heeft een opvallend 31,5-inch display, met verbluffende 4K UHD-resolutie op 3840x2160 voor een ongeëvenaard niveau van visuele helderheid. Met een ultrareactietijd van 1 ms GtG en een hoge verversingssnelheid van 144Hz, herdefinieert deze monitor jouw gameplay. Dompel jezelf onder in de hitte van de strijd of verken uitgestrekte virtuele werelden met ongeëvenaarde precisie en vloeiendheid.

Display		Ergonomics	
Display diagonal *	80 cm (31.5")	Cable lock slot *	✓
Display resolution *	3840 x 2160 pixels	Cable lock slot type	Kensington
HD type *	4K Ultra HD	Height adjustment *	✓
Native aspect ratio *	16:9	Adjustable height (max)	13 cm
Display technology *	LED	Pivot	✗
Panel type *	IPS	Swivelling	✓
Backlight type	W-LED	Swivel angle range	-30 - 30°
Touchscreen *	✗	Tilt adjustment	✓
Display brightness (typical)	350 cd/m ²	Tilt angle range	-5 - 23°
Response time *	1 ms	Picture-in-Picture	✓
Anti-glare screen	✓	On Screen Display (OSD)	✓
Screen shape *	Flat	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Contrast ratio (typical) *	1000:1		
Contrast ratio (dynamic)	80000000:1		
Maximum refresh rate *	144 Hz		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Display number of colours *	1.07 billion colours		
Pixel pitch	0.181 x 0.181 mm		
Pixel density	139 ppi		
Viewable size, horizontal	69.7 cm		
Viewable size, vertical	39.2 cm		
Display diagonal (metric)	80 cm		
High Dynamic Range (HDR) supported	✓		
High Dynamic Range (HDR) technology	DisplayHDR 400		
Surface hardness	3H		
sRGB coverage (typical)	122%		
		Power	
		Energy efficiency class (SDR) *	F
		Energy efficiency class (HDR) *	G
		Energy consumption (SDR) per 1000 hours *	32 kWh
		Energy consumption (HDR) per 1000 hours *	65 kWh
		Power consumption (typical) *	40 W
		Power consumption (standby) *	0.5 W
		Power consumption (off)	0.3 W
		AC input voltage	100 - 240 V
		AC input frequency	50/60 Hz

Display		Power	
NTSC coverage (typical)	107%	Input current	1.5 A
DCI-P3 coverage	95%	Energy efficiency scale	A to G
Performance		European Product Registry for Energy Labelling (EPREL) code	1711583
NVIDIA G-SYNC *	✓	Weight & dimensions	
VESA Adaptive Sync support	✓	Width (with stand)	715.3 mm
Low Blue Light technology	✓	Depth (with stand)	258.8 mm
Game mode	✓	Height (with stand)	587.1 mm
Multimedia		Weight (with stand)	7.79 kg
Built-in speaker(s) *	✗	Width (without stand)	421.8 mm
Built-in camera *	✗	Depth (without stand)	47.6 mm
Design		Height (without stand)	715.3 mm
Market positioning *	Gaming	Weight (without stand)	6.41 kg
Product colour *	Black, Red	Packaging data	
Frameless design	✓	Package weight	10.9 kg
Front bezel colour	Black/Red	Packaging content	
Detachable stand	✓	Stand included	✓
Feet colour	Black, Red	Cables included	AC
Ports & interfaces		DisplayPort cable length	1.8 m
Built-in USB hub *	✗	HDMI cable length	1.8 m
HDMI *	✓	Sustainability	
HDMI ports quantity	2	Sustainability compliance	✓
HDMI version	2.1	Other features	
DisplayPorts quantity	2	Low input lag	✓
DisplayPort version	1.4	FPS counter	✓
Headphone out *	✓	Dial point	✓
Headphone outputs	1	Shadow control	✓
Headphone connectivity	3.5 mm	Motion blur reduction	✓
HDCP	✓	Local dimming zones	16
HDCP version	2.2	Picture-by-Picture (PbP)	✓
Ergonomics		Digital signal format system	Not supported
VESA mounting *	✓	Exterior finish type	Textured
Panel mounting interface	100 x 100 mm	Bezel thickness type	Frameless
		Compliance certificates	WEEE



4038986111430

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-FEB-2025. Prints or copies of Information are only valid on the printed Publication date