

## Turtle Beach Stealth Pro - Xbox Headset Draadloos Hoofdband Gamen Bluetooth Zwart

Merk : Turtle Beach

Productnaam : Stealth Pro - Xbox

Artikelcode: TBS-2360-02

Turtle Beach Stealth Pro - Xbox. Type product: Headset. Connectiviteitstechnologie: Draadloos, Bluetooth. Aanbevolen gebruik: Gamen. Frequentiebereik koptelefoon: 10 - 22000 Hz. Aansluitbereik: 15 m. Gewicht: 1,65 kg. Kleur van het product: Zwart





Performance		Battery	
Product type *HeadsetWearing style *Head-bandRecommended usage *GamingHeadset typeBinauralProduct colour *BlackOperating keysVolume +, Volume -	Head-band Gaming Binaural Black Volume +, Volume -	Battery operated Battery type Continuous audio playback time Fast charging Number of batteries supported Wireless charging	<ul> <li>✓</li> <li>Built-in battery</li> <li>12 h</li> <li>✓</li> <li>1</li> <li>✓</li> </ul>
Volume control Control unit type Control type LED indicators On/off switch	Button On-ear control unit Buttons, Rotary ✓	<b>Weight &amp; dimensions</b> Width Depth Height Weight	262 mm 119 mm 282 mm 1.65 kg
Plug and Play Country of origin Ports & interfaces	China	Packaging data Package width	263 mm
Connectivity technology *Wireless3.5 mm connector		Package depth Package height Package weight	283 mm 121 mm 1.67 kg
Bluetooth version	5.1	Packaging content	
Microphone in RF connectivity Frequency band Wireless range	✓ ✓ 2.4 GHz 15 m	Charger Quick start guide Receiver included Cables included	✓ ✓ VSB Type-C
Headphones		Pouch	1
Ear coupling * Headphone frequency Headphone sensitivity Magnet type	Circumaural 10 - 22000 Hz 25 dB Neodymium	Logistics data Harmonized System (HS) code Master (outer) cases per pallet Master (outer) case width	8517620000 120 pc(s) 269 mm

Headphones		Logistics data	
Driver unit	5 cm	Master (outer) case length	252 mm
Noise canceling	✓	Master (outer) case height	297 mm
Noise canceling type	Active	Master (outer) case gross weight	3.68 kg
Noise reduction	1	Products per master (outer) case	2 pc(s)
Microphone		Supplier features	
Microphone type *	Boom	Material	Memory foam, Leatherette
Microphone frequency	100 - 8000 Hz	Battery life	720 min
Microphone sensitivity	-26 dB	Other features	
Microphone connectivity	3.5 mm	Number of batteries included	2 pc(s)
Microphone direction type	Unidirectional		
Folding microphone	<ul> <li>Image: A set of the set of the</li></ul>		
Detachable microphone	✓		
Microphone noise-canceling	✓		





731855023615

0731855023615

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.