

## Lindy 39384 KVM-extender Zender en ontvanger

**Merk :** Lindy

**Artikelcode:** 39384

**Productnaam :** 39384

Lindy 39384. Soort: Zender en ontvanger, Connectiviteitstechnologie: Bedraad, Maximaal bereik: 150 m. Poorttype zender lokale video: HDMI. Poorttype ontvanger lokale video: HDMI. AC-ingangsspanning: 100 - 240 V, AC-ingangsfrequentie: 50 - 60 Hz, Stroomverbruik (zender) (max): 13,2 W. Zender breedte: 14 cm, Zender diepte: 6,5 cm, Zender hoogte: 1,8 cm



Kenmerken		Energie	
Soort *	Zender en ontvanger	Stroomverbruik (ontvanger) (max)	13,2 W
Connectiviteitstechnologie *	Bedraad	Aansluiting voor netstroomadapter	✓
Maximaal bereik	150 m	<b>Gewicht en omvang</b>	
Ondersteundende kabel types	Cat6	Zender breedte	14 cm
Resolutie (maximum digitaal)	3840 x 2160 Pixels	Zender diepte	6,5 cm
Maximale refresh snelheid	60 Hz	Zender hoogte	1,8 cm
Kleurdiepte	12 Bit	Transmitter gewicht	790 g
Ondersteunende oplossingen	3840 x 2160 1920 x 1080	Receiver breedte	14 cm
Kleur van het product	Zwart	Diepte van de receiver	6,5 cm
Materiaal	Metaal	Receiver hoogte	1,8 cm
Chipset	VS010-A0	Receiver gewicht	790 g
<b>Zender</b>		<b>Verpakking</b>	
Zender lokale videopoort	✓	Breedte verpakking	245 mm
Poorttype zender lokale video	HDMI	Diepte verpakking	185 mm
Aantal RJ-45-poorten (zender)	1	Hoogte verpakking	75 mm
Aantal Micro-USB-poorten zender	1	Gewicht verpakking	1,02 kg
Aantal USB Type-B-poorten zender	1	<b>Inhoud van de verpakking</b>	
<b>Ontvanger</b>		Meegleverde kabels	IR, USB Type-A naar USB Type-B
Poorttype ontvanger lokale video	HDMI	Gebruikershandleiding	✓
Aantal RJ-45-poorten (ontvanger)	1	Inbegrepen soorten voedingsstekkers	AU, EU, UK, US
Aantal Micro-USB-poorten ontvanger	1	Inclusief schroeven	✓
Aantal USB Type-A-poorten ontvanger	2	<b>Eisen aan de omgeving</b>	
<b>Poorten &amp; interfaces</b>		Bedrijfstemperatuur (T-T)	0 - 40 °C
HDMI versie	2.0	Temperatuur bij opslag	-20 - 60 °C
Remote (IR) ingang	2	Relatieve vochtigheid in bedrijf (V-V)	20 - 90 procent
Remote (IR) uitgang	2	<b>Duurzaamheid</b>	
<b>Energie</b>		Naleving van duurzaamheid	✓
AC-ingangsspanning	100 - 240 V		
AC-ingangsfrequentie	50 - 60 Hz		

Energie		Overige specificaties	
Stroomverbruik (zender) (max)	13,2 W	HDCP	✓
		HDCP versie	2.2
		Extended display identification data (EDID)	✓
		Bandbreedte	18 Gbit/s
		Infrarood (IR) frequentiebereik	20 - 60 kHz
		Certificaten van naleving	CE, Federal Communications Commission (FCC), REACH, RoHS, UKCA



4002888393843

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-SEP-2024. Prints or copies of Information are only valid on the printed Publication date