


ASUS Q670EA-IM-A Intel Q670E LGA 1700 ATX

Merk : ASUS

Artikelcode: 90ME06J0-M0ECY0

Productnaam : Q670EA-IM-A

ASUS Q670EA-IM-A. Processorfabrikant: Intel, Processor socket: LGA 1700, Compatibele processors: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium®. Ondersteunde geheugen types: DDR5-SDRAM, Maximum intern geheugen: 128 GB, Geheugen slots type: DIMM. Ondersteunde opslagstationinterfaces: M.2, SATA III, Soorten RAID: 0, 1, 5, 10. Maximum resolutie: 4096 x 2160 Pixels. Ethernet interface type: 2.5 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet, LAN controller: Intel® I210-AT, Intel I226-LM, Intel I226-V



Processor		Aansluitingen achterzijde	
Processorfabrikant *	Intel	Aantal Ethernet LAN (RJ-45)-poorten *	3
Processor socket *	LGA 1700	VGA (D-Sub)poort(en) *	1
Compatibele processors *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium®	Aantal HDMI-poorten *	1
		HDMI versie	2.1
Geheugen		Aantal DisplayPorts	2
Ondersteunde geheugen types *	DDR5-SDRAM	DisplayPort versie	1.4
Aantal geheugenslots *	4	Lijningang	✓
Geheugen slots type	DIMM	Microfoon, line-in ingang	✓
Supported memory clock speeds	3600,4000,4400 MHz	Seriële poort(en)	1
Maximum intern geheugen *	128 GB	Netwerk	
Opslag-controllers		Ethernet LAN	✓
Ondersteunde opslagstationinterfaces *	M.2, SATA III	Ethernet interface type	2.5 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet
Maximum aantal HDD's per behuizing	7	LAN controller	Intel® I210-AT, Intel I226-LM, Intel I226-V
RAID support	✓	Kenmerken	
Soorten RAID	0, 1, 5, 10	Chipset moederbord *	Intel Q670E
Grafisch		Audiochip	Realtek ALC897
Maximum resolutie	4096 x 2160 Pixels	Moederbord form factor *	ATX
Interne aansluitingen		Moederbord chipset familie *	Intel
USB 2.0 aansluitingen *	2	Ondersteunt Linux	✓
USB 3.2 Gen 1 (3.1 Gen 1)-aansluitingen *	2	Ondersteunt Windows	Windows 10 IoT Enterprise, Windows 10 x64
Aantal SATA III connectors *	7	Certificering	CE, FCC, BSMI, VCCI, RCM CE-LVD
S/PDIF uitgang	✓	Uitbreidingsmodules	
Aansluiting voor audiopaneel aan voorzijde	✓	PCI Express x4 (Gen 4.x) sleuven	2
		PCI Express x16 (Gen 5.x) sleuven	2

Interne aansluitingen		Uitbreidingsmodules	
ATX Power connector (24-pin)	✓	PCI-slots	2
Aansluitingen voor behuizingsventilatoren	1	Aantal M.2 (M) slots	2
Chassis intrusion aansluiting	✓	Eisen aan de omgeving	
EPS power connector (8-pin)	✓	Temperatuur bij opslag	-40 - 85 °C
COM aansluitingen	5	Bedrijfstemperatuur (T-T)	0 - 60 °C
TPM connector	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 95 procent
Aansluitingen achterzijde		Gewicht en omvang	
Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type A *	5	Breedte	305 mm
Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type C *	1	Diepte	244 mm
		Overige specificaties	
		PCI Express x4 (Gen 3.x) slots	1



4711081950271



0197105105379



197105105379

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.