

GIGABYTE AORUS P1200W power supply unit 1200 W 20+4 pin ATX ATX Zwart

Merk : GIGABYTE

Artikelcode: GP-AP1200PM

Productnaam : AORUS P1200W

GIGABYTE AORUS P1200W. Totaal vermogen: 1200 W, AC-ingangsspanning: 100 - 240 V, AC-ingangsfrequentie: 50 - 60 Hz. Motherboard power connector: 20+4 pin ATX, Lengte stroomkabel moederbord: 61 cm, Lengte SATA-stroomkabel: 150,650 mm. Bedoeld voor: PC, Vormfactor van de voeding (PSU): ATX, 80 PLUS certificatie: 80 PLUS Platinum. Kleur van het product: Zwart, Type koeling: Actief, Ventilator diameter: 14 cm. Meegeleverde kabels: CPU, PCIe, Peripheral (Molex), SATA



Energie		Poorten & interfaces	
Totaal vermogen *	1200 W	Aansluiting voor diskettestation	✓
AC-ingangsspanning *	100 - 240 V	Lengte kabel diskettestation	15 cm
AC-ingangsfrequentie	50 - 60 Hz	Bekabelingstype	Volledig modulair
Stroom	15 - 7.5 A	Prestatie	
Power Factor Correctie (PFC) type	Actief	80 PLUS certificatie *	80 PLUS Platinum
Houd-tijd	16 ms	Supported motherboard form factors	ATX
Efficiëntie	92 procent	Bedoeld voor *	PC
Stroomspanning bescherming	Overstroom, Te hoog vermogen, Overspanning, Kortsluiting, Onder spanning	Vormfactor van de voeding (PSU) *	ATX
Poorten & interfaces		ATX version	2.31
Motherboard power connector *	20+4 pin ATX	Bearing technologie	DBB
Lengte stroomkabel moederbord	61 cm	Mean time between failures (MTBF)	100000 uur
Aantal SATA power connectors	16	Design	
Lengte SATA-stroomkabel	150,650 mm	Kleur van het product	Zwart
Peripheral (Molex) power connectors (4-pin) *	6	Type koeling	Actief
Lengte stroomkabel randapparaat (Molex)	120,150,600 mm	Ventilator diameter	14 cm
EPS-voedingsconnector (4+4 pin)	✓	Aantal ventilatoren	1 ventilator(en)
PCI Express power connectors (6+2 pin)	10	Ventilator locatie	Boven
Lengte PCI Express-stroomkabel	65 cm	Belichting	✓
CPU power connector (4+4 pin)	✓	Inhoud van de verpakking	
Lengte CPU-stroomkabel	65 cm	Meegeleverde kabels	CPU, PCIe, Peripheral (Molex), SATA
ATX power connector (20+4 pin)	✓	Gewicht en omvang	
Floppy drive power connector	2	Breedte	150 mm
		Diepte	86 mm
		Hoogte	160 mm
Logistieke gegevens			
		Code geharmoniseerd systeem (HS)	84733020



4719331552251

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-SEP-2024. Prints or copies of Information are only valid on the printed Publication date