

ASUS ROG Hyperion GR701 BTF Edition Tower Zwart, Transparant

Merk : ASUS

Artikelcode: 90DC00F0-B39020

Productnaam : ROG Hyperion GR701 BTF Edition

ASUS ROG Hyperion GR701 BTF Edition. Vormfactor: Tower, Soort: PC, Kleur van het product: Zwart, Transparant. Aantal geïnstalleerde ventilators voorkant: 3x 140 mm, Voorste ventilators ondersteunende diameters: 120,140,240,280,360,420 mm, Geïnstalleerde ventilators achterkant: 1x 140 mm. Ondersteunde HDD-groottes: 2.5,3.5", SSD-vormfactor: 2.5". Breedte: 268 mm, Diepte: 639 mm, Hoogte: 659 mm. Breedte verpakking: 350 mm, Diepte verpakking: 720 mm, Hoogte verpakking: 715 mm



Design		Koeling	
Vormfactor *	Tower	Aantal geïnstalleerde ventilators voorkant	3x 140 mm
Soort *	PC	Maximale aantal ventilators voorkant	3
Kleur van het product *	Zwart, Transparant	Voorste ventilators ondersteunende diameters	120,140,240,280,360,420 mm
Supported motherboard form factors *	ATX, EATX, micro ATX, Mini-ITX	Geïnstalleerde ventilators achterkant	1x 140 mm
Aantal 3.5" bays *	2	Maximaal aantal ventilators achterkant	1
Aantal 2.5" bays	5	Achterkant ventilators ondersteunende diameters	120,140 mm
Aantal uitbreidingsleuven	9	Maximaal aantal ventilators bovenkant	3
Zijraam	✓	Bovenste ventilators ondersteunende diameters	120,140,240,280,360,420 mm
Geschikt voor	Gamen	Ondersteunde afmetingen voorste radiator	120,140,240,280,360,420 mm
Belichting	✓	Ondersteunde afmetingen achterste radiator	120,140 mm
Kleur van de verlichting	Multi	Ondersteunde afmetingen bovenste radiator	120,140,240,280,360,420 mm
Geharde glaspla(a)t(en)	✓	Opslagmedia	
Anti-stof filter	✓	Ondersteunde HDD-groottes *	2.5,3.5"
Verbeterd kabelbeheer	✓	HDD/SSD-combimodel	✓
Reset button	✓	SSD-vormfactor	2.5"
Aan-/uitknop	✓	Maximum aantal HDD's per behuizing	7
RGB-regelknop	✓	Gewicht en omvang	
LED-indicatoren	✓	Breedte	268 mm
Maximum CPU cooler hoogte	19 cm		
Maximum grafische kaart lengte	46 cm		
Maximum PSU lengte	24 cm		
Power voorraad			
Vermogenstoevoer inclusief *	✗		
Poorten & interfaces			
Audio-ingangen	✓		
Audio-uitgang	✓		

Poorten & interfaces		Gewicht en omvang	
Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type A *	4	Diepte	639 mm
Aantal USB-Type-C-poorten	2	Hoogte	659 mm
Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type C *	1	Gewicht	21,3 kg
Koeling		Verpakking	
Controle ventilatorsnelheid	✓	Breedte verpakking	350 mm
		Diepte verpakking	720 mm
		Hoogte verpakking	715 mm
		Gewicht verpakking	25,7 kg



4711387483749

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-SEP-2024. Prints or copies of Information are only valid on the printed Publication date