

PHILIPS

Philips Evnia 27M2N3500NL/00 LED display 68,6 cm (27") 2560 x 1440 Pixels Quad HD LCD Grijs

Merk : Philips

Productfamilie: Evnia

Artikelcode: 27M2N3500NL/00

Productnaam :
27M2N3500NL/00

Fast VA Gaming monitor 27M2N3500NL Quad HD-gamemonitor

Philips Evnia 27M2N3500NL/00 LED display 68,6 cm (27") 2560 x 1440 Pixels Quad HD LCD Grijs:

Game met ultieme precisie en een snelheid van 180 Hz op deze Fast VA-monitor. Met de scherpe HDR-beeldkwaliteit en Quad HD-resolutie garandeert deze monitor een uitstekende algehele game-ervaring. Philips Evnia 27M2N3500NL/00. Beeldscherm diagonaal: 68,6 cm (27"), Resolutie: 2560 x 1440 Pixels, HD type: Quad HD, Display technologie: LCD, Responstijd: 1 ms, Oorspronkelijke beeldverhouding: 16:9, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. VESA-montage. Kleur van het product: Grijs



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	VESA mounting *	✓
Display resolution *	2560 x 1440 pixels	Panel mounting interface	100 x 100 mm
HD type *	Quad HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LCD	Height adjustment *	✗
Panel type *	VA	Tilt adjustment	✓
LED backlight	✓	Tilt angle range	-5 - 20°
Backlight type	W-LED	On Screen Display (OSD)	✓
Touchscreen *	✗	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display brightness (typical)	300 cd/m ²	Number of OSD languages	21
Response time *	1 ms	Plug and Play	✓
Anti-glare screen	✓	LED indicators	Operation, Stand-by
Screen shape *	Flat	Power	
Contrast ratio (typical) *	5000:1	Power consumption (typical) *	21.6 W
Dynamic contrast ratio marketing name	Mega Infinity DCR	Power consumption (standby) *	0.5 W
Maximum refresh rate *	180 Hz	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50/60 Hz
Display number of colours *	16.7 million colours	Power supply type	Internal
Response time (fast)	0.5 ms	Operational conditions	
Pixel pitch	0.2331 x 0.2331 mm	Operating temperature (T-T)	0 - 40 °C
Pixel density	108.79 ppi	Storage temperature (T-T)	-20 - 60 °C
Horizontal scan range	30 - 270 kHz	Operating relative humidity (H-H)	20 - 80%
Vertical scan range	48 - 180 Hz	Operating altitude	0 - 3658 m
Viewable size, horizontal	59.8 cm	Non-operating altitude	3658 - 12192 m
Viewable size, vertical	33.6 cm	Weight & dimensions	
Digital horizontal frequency	30 - 230 kHz	Width (with stand)	615 mm
Digital vertical frequency	48 - 144 Hz		
Display diagonal (metric)	68.5 cm		
High Dynamic Range (HDR) supported	✓		

Display		Weight & dimensions	
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Depth (with stand)	193 mm
DDC/CI	✓	Height (with stand)	463 mm
Haze rate	25%	Weight (with stand)	4.34 kg
Surface hardness	3H	Width (without stand)	615 mm
Colour gamut standard	DCI-P3	Depth (without stand)	61 mm
Colour gamut	95%	Height (without stand)	369 mm
sRGB coverage (typical)	127%	Weight (without stand)	3.73 kg
Adobe RGB coverage	92%	Packaging data	
Display sRGB	✓	Package width	690 mm
Performance		Package depth	141 mm
NVIDIA G-SYNC *	✗	Package height	420 mm
AMD FreeSync *	✗	Package weight	6.88 kg
VESA Adaptive Sync support	✓	Packaging content	
Component video sync	Separate sync	Stand included	✓
Flicker-free technology	✓	Cables included	AC, DisplayPort, HDMI
Low Blue Light technology	✓	Manual	✓
Multimedia		Sustainability	
Built-in speaker(s) *	✗	Sustainability compliance	✓
Built-in camera *	✗	Doesn't contain	Mercury, PVC/BFR
Design		Other features	
Market positioning *	Gaming	Brand specific technologies	Crosshair
Product colour *	Grey	Low input lag	✓
Ports & interfaces		Compatible operating systems	Mac OS X Windows 10 / 11
Built-in USB hub *	✗	Exterior finish type	Textured
HDMI *	✓	Picture enhancement	SmartImage game
HDMI ports quantity	2	Recyclable packaging material	100%
HDMI version	2.0	Regulatory Approvals	CB, CE mark, FCC Class B, ICES-003, EAC, EAEU RoHS, TUV/ISO9241-307, TÜV-TYPE, PSB, UKCA, EMF
DisplayPorts quantity	1	Heavy metals free	Hg (mercury)
DisplayPort version	1.4	Delta E	2
Headphone out *	✓	EasyRead mode	✓
HDCP	✓	LowBlue mode	✓
HDCP version	1.4/2.2	Compliance certificates	RoHS
		Mean time between failures (MTBF)	50000 h
		Recycling data	
		Post-consumer recycled plastic	85%



8712581805890

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-MAR-2025. Prints or copies of Information are only valid on the printed Publication date