

ZYXEL

## Zyxel NWD6602 WLAN 1167 Mbit/s

**Merk :** Zyxel

**Artikelcode:** NWD6602-EU0101F

**Productnaam :** NWD6602

Zyxel NWD6602. Connectiviteitstechnologie: Draadloos, Hostinterface: USB Type-A, Interface: WLAN. Maximale overdrachtssnelheid van gegevens: 1167 Mbit/s, Wifi-standaard: Wi-Fi 5 (802.11ac), Wifi-band: Dual-band (2.4 GHz / 5 GHz). Kleur van het product: Zwart



Poorten & interfaces		Energie	
Connectiviteitstechnologie *	Draadloos	Spanning	5 V
Hostinterface *	USB Type-A	Stroomverbruik (typisch)	12 W
Interface *	WLAN	<b>Minimale systeemeisen</b>	
USB-versie	2.0	Ondersteunt Windows	Windows 10, Windows 7, Windows 8, Windows 8.1 Mac OS 8.0, Mac OS 8.1, Mac OS 8.5, Mac OS 8.6, Mac OS 9.0, Mac OS 9.1, Mac OS 9.2, Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tijger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Netwerk		Ondersteunt Mac-besturingssysteem	
Maximale overdrachtssnelheid van gegevens *	1167 Mbit/s	Ondersteunt Linux	✓
Netwerkstandaard *	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	<b>Eisen aan de omgeving</b>	
Wifi	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
Wifi-band	Dual-band (2.4 GHz / 5 GHz)	Temperatuur bij opslag	-20 - 60 °C
Wifi-standaard	Wi-Fi 5 (802.11ac)	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Wi-Fi-standaarden	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Luchtvochtigheid bij opslag	10 - 95 procent
Ondersteunde WLAN data-overdrachtsnelheden	300,867 Mbit/s	<b>Gewicht en omvang</b>	
Ondersteunde beveiligingsalgoritmen	WEP, WPA, WPA-PSK, WPA2, WPA2-PSK, WPA3, WPS	Breedte	14,9 mm
Design		Diepte	20 mm
Component voor *	PC/Laptop	Hoogte	7,1 mm
Kleur van het product	Zwart	Gewicht	5 g
Intern *	✗	<b>Verpakking</b>	
Antenne	✓	Breedte verpakking	137 mm
Antenne-ontwerp	Intern	Diepte verpakking	181 mm
LED-indicatoren	Activiteit, Link, WPS		
Certificering	CE-LVD, CE, EAC		

**Verpakking**

Hoogte verpakking	28 mm
Gewicht verpakking	823 g

**Logistieke gegevens**

Code geharmoniseerd systeem (HS) 85176990



4718937616435

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-SEP-2024. Prints or copies of Information are only valid on the printed Publication date