

GIGABYTE BRIX Zwart i3-1315U

Merk : GIGABYTE

Artikelcode: GB-BRI3H-1315


Productnaam : BRIX

GIGABYTE BRIX. Type product: Mini PC barebone. Ondersteunde geheugen types: DDR4-SDRAM, Aantal geheugenslots: 2, Maximum intern geheugen: 64 GB. Ondersteunde types opslag-drives: HDD & SSD, Opslag schijf-interface: PCI Express, SATA III. Aantal Ethernet LAN (RJ-45)-poorten: 1. Bluetooth-versie: 5.2. Netvoeding: 135 W



Processor		Netwerk	
Processorfabrikant	Intel	Bluetooth-versie	5.2
Processorfamilie	Intel® Core™ i3	Poorten & interfaces	
Processorgeneratie	Intel Core i3-13xxx	Aantal USB 2.0-poorten *	2
Processormodel	i3-1315U	Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type A	2
Aantal processorkernen	6	Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type C	2
Processor aantal threads	8	Aantal HDMI-poorten *	2
Maximale turbofrequentie van processor	4,5 GHz	HDMI versie	2.1
Type processor *	✓	Combo koptelefoon/microfoon port	✓
Processor cache	10 MB	Aantal Ethernet LAN (RJ-45)-poorten *	1
Thermal Design Power (TDP)	15 W	Aansluiting voor netstroomadapter	✓
CPU configuratie (max)	1	Design	
Geheugen		Kleur van het product *	Zwart
Geheugen slots type *	SO-DIMM	Aan/uitschakelaar	✓
Aantal geheugenslots *	2	Bevestigingsmogelijkheid voor kabelslot	✓
Maximum intern geheugen	64 GB	Kabelslot sleuf type	Kensington
Supported memory clock speeds	3200 MHz	VESA-montage	✓
Ondersteunde geheugen types	DDR4-SDRAM	Paneelmontage-interface	75 x 75,100 x 100 mm
Opslagmedia		Type product *	Mini PC barebone
Ondersteunde types opslag-drives *	HDD & SSD	Software	
Opslagschijf afmetingen ondersteund *	2.5"	Ondersteunt Windows	Windows 10, Windows 11
SSD-vormfactor	M.2	Energie	
Opslag schijf-interface	PCI Express, SATA III	Netvoeding	135 W
Grafisch		AC-ingangsspanning	100 - 240 V
Ingebouwde grafische adapter *	✓		
Grafische adapter-familie	Intel		
On-board graphics adapter model	Intel Iris Xe Graphics		

Netwerk		Energie	
Wifi-standaard	Wi-Fi 6 (802.11ax)	AC-adapter, uitgangsspanning	19.5 V
WLAN-controller-model	Intel Wi-Fi 6 AX203	AC-adapter, uitgangsstroom	6,92 A
Ethernet LAN *	✓	Eisen aan de omgeving	
Wifi *	✓	Bedrijfstemperatuur (T-T)	0 - 35 °C
LAN controller	Intel I226-V	Temperatuur bij opslag	-20 - 60 °C
Bluetooth	✓	Gewicht en omvang	
		Breedte	124 mm
		Diepte	120 mm
		Hoogte	49,7 mm



4719331602123

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-AUG-2025. Prints or copies of Information are only valid on the printed Publication date