/IOC

AOC B3 U27B3A computer monitor 68,6 cm (27") 3840 x 2160 Pixels 4K Ultra HD LCD Zwart

Merk: AOC Productfamilie: B3 Artikelcode: U27B3A

Productnaam: U27B3A

Screen size (inch) 27, Panel resolution 3840x2160, Max Refresh rate 60 Hz, Panel type IPS, HDMI HDMI 2.0×2 , Display Port DisplayPort 1.4×1 , Sync technology (VRR) Adaptive Sync

AOC B3 U27B3A computer monitor 68,6 cm (27") 3840 x 2160 Pixels 4K Ultra HD LCD Zwart:

27-inch UHD-monitor met uitgebreide kijkervaring voor optimale productiviteit

Verhoog je productiviteit maximaal met de AOC U27B3A. Deze 27-inch UHD-monitor beschikt over een naadloze vernieuwingsfrequentie van 60 Hz en een strak driezijdig frameloos ontwerp, voor een aangename kijkervaring. Geen vermoeide ogen meer dankzij de lage blauwe lichtfunctie die je ogen voldoende beschermt. Bovendien krijg je jitter-vrije beelden dankzij de Adaptive Sync-technologie, en verbluffend heldere graphics met HDR10-ondersteuning. De ingebouwde luidspreker van 2 watt zorgt voor een verbeterde audio-ervaring.





| Display | | Ergonomics | |
|---|--|--|---|
| Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * LED backlight Backlight type Touchscreen * Display brightness (typical) Response time * | 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD 16:9 LCD IPS W-LED X 350 cd/m² 4 ms | Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Tilt adjustment Tilt angle range On Screen Display (OSD) On Screen Display (OSD) languages | ✓ Kensington X 11 cm ✓ -5 - 20° ✓ German, Dutch, English, Spanish, Italian, Swedish, Japanese, Polish, Portuguese, Turkish, Simplified Chinese, Finnish, Korean, Ukrainian, Traditional Chinese, French, Russian, Croatian, Czech |
| Anti-glare screen Screen shape * | Flat | Number of OSD languages | 19 |
| Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical | 1000:1 20000000:1 60 Hz 178° 178° | Power Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * | F G 25 kWh |
| Display number of colours * Display diagonal (metric) High Dynamic Range (HDR) supported | 1.073 billion colours 68.5 cm ✓ | Energy consumption (HDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * | 40 kWh 27 W 0.5 W |
| High Dynamic Range (HDR) technology Surface hardness sRGB coverage (typical) NTSC coverage (typical) Adobe RGB coverage BT.2020 coverage | High Dynamic Range 10 (HDR10) 3H 128% 109% 107.2% 72.6% | Power consumption (max) Power consumption (off) AC input voltage AC input frequency Input current Power supply type Energy efficiency scale | 52 W 0.3 W 100 - 240 V 50/60 Hz 1.5 A Internal A to G |

| Performance | | Operational conditions | |
|--|-----------------------------|--|---|
| VESA Adaptive Sync support Flicker-free technology Low Blue Light technology Multimedia | * * | Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude | 0 - 40 °C -25 - 55 °C 10 - 85% 5 - 93% 0 - 5000 m |
| Number of speakers RMS rated power | 2 4 W | Non-operating altitude | 0 - 12192 m |
| Built-in speaker(s) * | ✓ | Weight & dimensions | |
| Design Market positioning * Product colour * Frameless design Front bezel colour | Home Black ✓ Black | Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) | 614 mm 229.8 mm 460 mm 4.04 kg 614 mm 45.7 mm |
| Ports & interfaces | | Height (without stand) Weight (without stand) | 363.8 mm 3.59 kg |
| Built-in USB hub * HDMI * HDMI ports quantity HDMI version DisplayPorts quantity | × v 2 2.0 1 | Packaging data Package width Package depth Package height Package weight | 690 mm 142 mm 453 mm 6.62 kg |
| DisplayPort version Headphone out * | 1.4 | Packaging content | |
| eadphone outputs 1 eadphone connectivity 3.5 mm | 1 | Cables included HDMI cable length | AC, HDMI 1.5 m |
| Built-in KVM switch | x | Other features | |
| AC (power) in | ✓ | Introduction year | 2024 |
| Ergonomics | | Introduction month | June |
| VESA mounting * Panel mounting interface | ✓ 100 x 100 mm | Warranty period | 3 year(s) |



4038986181495

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.