



TP-Link Omada ER7412-M2 bedrade router 2.5 Gigabit Ethernet, Gigabit Ethernet Zwart

Merk : TP-Link

Productfamilie: Omada

Artikelcode: ER7412-M2

Productnaam : ER7412-M2

TP-Link Omada ER7412-M2. Netwerkstandaard: IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z, Ethernet interface type: 2.5 Gigabit Ethernet, Gigabit Ethernet, Ethernet LAN, data-overdrachtsnelheden: 10,100,1000,2500 Mbit/s. Ondersteunde beveiligingsalgoritmen: 128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1, SHA-2, SHA-384, SHA-512. Certificaten van naleving: CE, Federal Communications Commission (FCC). Meegeleverde kabels: AC, LAN (RJ-45). Flash memory: 128 MB, Intern geheugen: 1024 MB, Intern geheugentype: DDR4



WAN-verbinding		Beveiliging	
Ethernet WAN *	✓	ICMP-aanvalspreventie	✓
DSL WAN *	✗	Access Control List (ACL)	✓
SIM-kaartsleuf *	✗	Network address translation (NAT)	✓
3G/4G USB modem compatibiliteit *	✓	VPN tunnels quantity	80
SFP WAN *	✓	Certificaten	
Netwerk		Certificaten van naleving	CE, Federal Communications Commission (FCC)
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Inhoud van de verpakking	
Ethernet interface type *	2.5 Gigabit Ethernet, Gigabit Ethernet	Meegeleverde kabels	AC, LAN (RJ-45)
Ethernet LAN, data-overdrachtsnelheden	10,100,1000,2500 Mbit/s	Snelstartgids	✓
Statische route	✓	Kenmerken	
VLAN=ondersteuning	✓	Flash memory	128 MB
Beheerfuncties		Intern geheugen	1024 MB
Web-gebaseerd management *	✓	Intern geheugentype	DDR4
Universal Plug and Play (UPnP)	✓	Ondersteunt Windows	Windows 10, Windows 11, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Reset button	✓	Ondersteunt Mac-besturingssysteem	✓
Poorten & interfaces		Ondersteunt Linux	✓
Aantal Ethernet LAN (RJ-45)-poorten *	7	Design	
Aantal WAN/Ethernet LAN-poorten	2	Kleur van het product *	Zwart
Aantal moduleslots SPF	2	Rack-montage	✓
Aantal consolepoorten	1	Energie	
Aantal USB-aansluitingen	1	Vermogensverbruik (max)	18,5 W

Protocollen		Energie	
DMZ support	✓	AC-ingangsspanning	100 - 240 V
DHCP server *	✓	AC-ingangsfrequentie	50/60 Hz
Beveiliging		Eisen aan de omgeving	
Ondersteunde beveiligingsalgoritmen *	128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1, SHA-2, SHA-384, SHA-512	Bedrijfstemperatuur (T-T)	0 - 45 °C
URL- filtering	✓	Temperatuur bij opslag	-40 - 70 °C
DoS aanval preventie	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
ARP-aanvalspreventie	✓	Luchtvochtigheid bij opslag	5 - 90 procent
		Gewicht en omvang	
		Breedte	294 mm
		Diepte	180 mm
		Hoogte	44 mm




4895252505184



0840030711077



840030711077



4895252505191

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.