NOC

AOC G4 C27G4ZXU computer monitor 68,6 cm (27") 1920 x 1080 Pixels Full HD LED Zwart

Merk: AOC Productfamilie: G4 Artikelcode: C27G4ZXU

Productnaam: C27G4ZXU

Screen size (inch) 27, Panel resolution 1920x1080, Max Refresh rate 280 Hz, Response time MPRT 0.3 ms, Panel type Fast VA, HDMI HDMI 2.0×2 , DisplayPort DisplayPort 1.4×1 , Sync technology (VRR) Adaptive Sync

AOC G4 C27G4ZXU. Beeldschermdiagonaal: 68,6 cm (27"), Resolutie: 1920 x 1080 Pixels, HD type: Full HD, Display technologie: LED, Responstijd: 0,3 ms, Oorspronkelijke beeldverhouding: 16:9. Ingebouwde luidsprekers. Ingebouwde USB-hub, Versie USB-hub: 3.2 Gen 1 (3.1 Gen 1). VESA-montage, In hoogte verstelbaar. Kleur van het product: Zwart





		_	
Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Panel mounting interface	100 x 100 mm
Display resolution *	1920 x 1080 pixels	Cable lock slot *	✓
HD type *	Full HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LED	Adjustable height (max)	13 cm
Panel type *	Fast VA	Swivelling	✓
LED backlight	✓	Swivel angle range	-28 - 28°
Backlight type	W-LED	Tilt adjustment	/
Touchscreen *	×	Tilt angle range	-3 - 21°
Display brightness (typical)	300 cd/m ²	On Screen Display (OSD)	<i>'</i>
Response time *	0.3 ms	on sercen bisplay (63b)	Simplified Chinese, Traditional
Anti-glare screen	✓		Chinese, Croatian, Czech, German,
Screen shape *	Curved	On Screen Display (OSD) languages	Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian,
Screen curvature rating	1800R		
Contrast ratio (typical) *	4000:1		Swedish, Turkish, Ukrainian
Contrast ratio (dynamic)	80000000:1	Number of OSD languages	19
Maximum refresh rate *	280 Hz	Power	
Display number of colours *	16.7 million colours		-
Pixel density	81.59 ppi	Energy efficiency class (SDR) *	E
Horizontal scan range	30 - 320 kHz	Energy efficiency class (HDR) *	G
Vertical scan range	48 - 280 Hz	Energy consumption (SDR) per 1000 hours *	21 kWh
Viewable size, horizontal	59.8 cm	Energy consumption (HDR) per	24 1 1 1 1 1
Viewable size, vertical	33.6 cm	1000 hours *	31 kWh
Display diagonal (metric)	68.6 cm	Power consumption (typical) *	30 W
High Dynamic Range (HDR)	✓	Power consumption (standby) *	0.5 W
supported	-	Power consumption (max)	74 W
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Power consumption (off)	0.3 W
sRGB coverage (typical)		AC input voltage	100 - 240 V
Sites coverage (cypical)	127.2/0	AC input frequency	50/60 Hz

Performance		Power	
Fast charging VESA Adaptive Sync support Flicker-free technology	<i>'</i>	Input current Power supply type Energy efficiency scale	1.5 A Internal A to G
Low Blue Light technology	✓	Operational conditions	
Game mode	✓	Operating temperature (T-T) Storage temperature (T-T)	0 - 40 °C -25 - 55 °C
Multimedia		Operating relative humidity (H-H)	10 - 85%
Number of speakers RMS rated power Built-in speaker(s) *	2 4 W	Storage relative humidity (H-H) Operating altitude Non-operating altitude	5 - 93% 0 - 5000 m 0 - 12192 m
Built-in camera *	X	Weight & dimensions	
Design Market positioning * Product colour * Frameless design Front bezel colour Ports & interfaces	Gaming Black ✔ Black	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand)	611.5 mm 227.6 mm 515.8 mm 6.06 kg 367.6 mm 78.7 mm 611.5 mm
Built-in USB hub *	✓	Weight (without stand)	4.12 kg
USB hub version USB upstream port type Number of upstream ports USB Type-A downstream ports quantity HDMI *	3.2 Gen 1 (3.1 Gen 1) USB Type-B 1 4	Packaging data Package width Package depth Package height Package weight	840 mm 480 mm 188 mm 9.57 kg
HDMI ports quantity	2	Packaging content	
HDMI version 2.0 DisplayPorts quantity 1 DisplayPort version 1.4		Cables included Other features	AC, DisplayPort, HDMI, USB
Headphone out *	<u>-</u>	Low input lag	✓
Headphone outputs	1	FPS counter	✓
Headphone connectivity	3.5 mm	Dial point	✓
AC (power) in	✓	Shadow control	✓
Ergonomics		Motion blur reduction	✓
VESA mounting *	✓	Warranty period	3 year(s)



4038986181488

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.