GIGABYTE X870E AORUS ELITE WIFI7 AMD X870E Socket AM5 ATX

Merk : GIGABYTE

Artikelcode: X870E A ELITE WIFI7

Productnaam : X870E AORUS ELITE WIFI7

GIGABYTE X870E AORUS ELITE WIFI7. Processorfabrikant: AMD, Processor socket: Socket AM5, Compatibele processors: AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series. Ondersteunde geheugen types: DDR5-SDRAM, Maximum intern geheugen: 256 GB, Geheugen slots type: DIMM. Ondersteunde opslagstationinterfaces: M.2, SATA III, Ondersteunde types opslag-drives: HDD & SSD, Soorten RAID: 0, 1, 10. Ethernet interface type: 2.5 Gigabit Ethernet, LAN controller: Realtek RTL8125, Wifi-standaard: Wi-Fi 7 (802.11be). Component voor: PC, Moederbord form factor: ATX, Moederbord chipset familie: AMD





Processor		Network		
Processor manufacturer *		AMD	LAN controller	Realtek RTL8125
Processor socket *		Socket AM5	Wi-Fi *	1
Compatible processor series *		AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Wi-Fi standards	Wi-Fi 7 (802.11be) Wi-Fi 7 (802.11be)
Supported processor sockets		Socket AM5	WLAN controller model	MediaTek MT7925
Maximum internal memory supported by processor		256 GB	Bluetooth Bluetooth version	✓ 5.4
Memory			Features	
Supported memory types • Number of memory slots • Memory slots type Memory channels ECC compatibility Supported memory clock speed (max) Maximum internal memory • Supported memory module capacities Unbuffered memory Maximum internal memory per slot Storage controller Supported storage d	MHz 8200 MHz 256 GB 1GB, 2GB, 4GB, 8GB, 16G 64 GB s rive types	HDD & SSD	Motherboard chipset * Audio chip Audio output channels * Product colour PC health monitoring Component for * Motherboard form factor * Motherboard chipset family * Windows operating systems supported	AMD X870E Realtek ALC1220 7.1 channels Black CPU, Fan, Temperature, Voltage PC ATX AMD Windows 11 x64
Supported storage drive interfaces *			Expansion slots	
Number of HDDs supported Number of storage drives supported RAID support RAID levels		4	PCI Express x4 slots PCI Express x16 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots PCI Express x16 (Gen 5.x) slots	2 1 1 1
Graphics		Number of M.2 (M) slots	4	
Parallel processing technology support *		Not supported	1st M.2 largest key size 1st M.2 highest PCI Express	25110 5.0
On-board graphics ca DirectX version	ard	× 12.0	generation 2nd M.2 largest key size	22110

Internal I/O		Expansion slots		
USB 2.0 connectors *	2	2nd M.2 highest PCI Express	5.0	
USB 3.2 Gen 1 (3.1 Gen 1)	2	generation	22110	
connectors * USB 3.2 Gen 2x2 connectors	1	3rd M.2 largest key size 3rd M.2 highest PCI Express	22110	
Number of SATA III connectors *	4	generation	5.0	
Front panel audio connector		4th M.2 largest key size	22110	
Front panel connector		4th M.2 highest PCI Express	4.0	
ATX Power connector (24-pin)		generation		
CPU fan connector		BIOS		
Number of CPU fan connectors	2	BIOS type *	UEFI AMI	
Number of chassis fan connectors	4	BIOS memory size	256 Mbit	
EPS power connector (8-pin)	1	ACPI version	5.0	
Number of EPS power connectors	2	Clear CMOS jumper	1	
(8-pin)	2	Clear CMOS button	✓	
TPM connector	 Image: A start of the start of	Desktop Management Interface (DMI) version	2.7	
Number of water pump connectors	2	System Management BIOS	2.7	
RGB LED pin header	✓	(SMBIOS) version	2.7	
Number of RGB LED pin headers	4	Logistics data		
Rear panel I/O ports		Country of origin	China	
USB 2.0 ports quantity *	4	Products per shipping (inner) case	1 pc(s)	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Battery		
USB 3.2 Gen 2 (3.1 Gen 2) Type-A	2	Battery weight	3 g	
ports quantity *		Lithium weight per battery	0.07 g	
USB4 Gen 2x2 ports quantity Ethernet LAN (RJ-45) ports *	2	Number of battery cells	1 Lithium-Manganese Dioxide	
HDMI ports quantity *	1	Battery technology	(LiMnO2)	
HDMI version	2.1	Battery type	CR2032	
DisplayPort version	1.4	Packaging data		
Headphone outputs	1	Package width	345 mm	
Microphone in	✓	Package depth	294 mm	
S/PDIF out port	1	Package height	80 mm	
WiFi-AP antenna jack	2	Package weight	2.74 kg	
		Weight & dimensions		
Network		weight & dimensions		
Network Ethernet LAN	1	Width	305 mm	
	2.5 Gigabit Ethernet		244 mm	
Ethernet LAN	-	Width		
Ethernet LAN	-	Width Depth	244 mm	

Antenna included

Screws included

Bundled software

Other features

Technical details Warranty period

Weight

•

1

2.4 kg

3 year(s)

Norton® Internet Security (OEM version) LAN bandwidth management software



4719331864613

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.