

ASUS RS520A-E11-RS12U Socket SP3 Rack (2U) Zwart, Staal

Merk : ASUS

Artikelcode: 90SF01Q1-M00280

Productnaam : RS520A-E11-RS12U

ASUS RS520A-E11-RS12U. Processor socket: Socket SP3, Processorfabrikant: AMD, Compatibele processoren: AMD EPYC 7002, AMD EPYC 7003. Ondersteunde geheugen types: DDR4-SDRAM, Ondersteunend DIMM module capaciteiten: 16GB, 32GB, 64GB, 128MB, 256MB, Maximum UDIMM geheugen: 4,1 TB. Opslagschijf afmetingen ondersteund: 3.5,M.2, Ondersteunde types opslag-drives: HDD & SSD, Ondersteunde opslagstationinterfaces: M.2, PCI Express, SATA, Serial Attached SCSI (SAS). On-board graphics adapter model: Aspeed AST2600, On-board graphics adapter geheugen: 64 MB, Maximum geheugen grafische adapter: 64 MB. Ethernet interface type: Gigabit Ethernet, Ethernet LAN, data-overdrachtsnelheden: 10,100,1000 Mbit/s, LAN controller: Intel® I350-AM2



Processor		Poorten & interfaces	
Type processor *	✗	Aantal Ethernet LAN (RJ-45)-poorten *	2
Processor socket *	Socket SP3	IPMI LAN (RJ-45) port	✓
Processorfabrikant	AMD	VGA (D-Sub)poort(en)	1
Compatibele processoren	AMD EPYC 7002, AMD EPYC 7003	Uitbreidingsmodules	
AMD Opteron series	7000	PCI Express x16 (Gen 1.x) slots	3
Geheugen		Kenmerken	
Aantal DIMM sloten *	16	Trusted Platform Module (TPM)	✓
Ondersteunde geheugen types *	DDR4-SDRAM	Trusted Platform Module (TPM) version	2.0
Ondersteunend DIMM module capaciteiten	16GB, 32GB, 64GB, 128MB, 256MB	Compatibele besturingssystemen	WindowsServer, RedHat Enterprise Linux, SuSE Linux Enterprise Server CentOS, Ubuntu, Vmware
Maximum UDIMM geheugen	4,1 TB	Technische details	
Ondersteunende RDIMM klok snelheden	2933,3200 MHz	Certificaten van naleving	CE, Federal Communications Commission (FCC)
Geheugen kanaal	Achtkanaals	Design	
ECC	✓	Type behuizing *	Rack (2U)
Opslagmedia		Kleur van het product	Zwart, Staal
Aantal storage drives ondersteund *	12	LED-indicatoren	✓
Hot-swap HDD bays *	✓	Rekrails	✓
Aantal 3.5" bays	12	Certificering	BSMI, CE, RCM, FCC
Opslagschijf afmetingen ondersteund	3.5,M.2	Energie	
Ondersteunde types opslag-drives	HDD & SSD	Netvoeding *	800 W
Ondersteunde opslagstationinterfaces	M.2, PCI Express, SATA, Serial Attached SCSI (SAS)	Redundante voeding	✓
SSD-vormfactor	M.2	Aantal ondersteunde redundante voedingen	2
Grafisch			
On-board graphics adapter model	Aspeed AST2600		
On-board graphics adapter geheugen	64 MB		

Grafisch		Energie	
Maximum geheugen grafische adapter	64 MB	Aantal geïnstalleerde redundante voedingen	2
Netwerk		Eisen aan de omgeving	
Ethernet LAN	✓	Bedrijfstemperatuur (T-T)	10 - 35 °C
Ethernet interface type	Gigabit Ethernet	Temperatuur bij opslag	-40 - 70 °C
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Relatieve vochtigheid in bedrijf (V-V)	20 - 90 procent
LAN controller	Intel® I350-AM2	Luchtvochtigheid bij opslag	20 - 90 procent
Poorten & interfaces		Gewicht en omvang	
Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type A	4	Breedte	840 mm
		Diepte	449 mm
		Hoogte	88,1 mm
		Gewicht	18,8 kg
		Verpakking	
		Meegeleverde software	ASUS Control Center
		Gewicht verpakking	28,4 kg



4711081685890

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-OCT-2024. Prints or copies of Information are only valid on the printed Publication date