



TP-Link FESTA FR365 draadloze router Gigabit Ethernet Dual-band (2.4GHz + 5GHz or 2.4GHz + 6GHz) Wit

Merk : TP-Link

Artikelcode: FESTA FR365

Productnaam : FESTA FR365

TP-Link FESTA FR365. Type WAN-aansluiting: RJ-45. Wifi-band: Dual-band (2.4GHz + 5GHz or 2.4GHz + 6GHz), Wifi-standaard: Wi-Fi 6 (802.11ax), WLAN gegevensoverdrachtsnelheid (max): 2402 Mbit/s. Interfacetype Ethernet LAN: Gigabit Ethernet, Netwerkstandaard: IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11n. Ondersteunde beveiligingsalgoritmen: SNMP, SNMPv2, SNMPv3, WPA, WPA2, WPA3. Type product: Router om neer te zetten, Kleur van het product: Wit



WAN connection		Design	
Ethernet WAN *	✓	Product colour	White
DSL WAN *	✗	Wall mountable	✓
WAN connection type	RJ-45	Product type *	Tabletop router
Wireless LAN features		Certificates	
Wi-Fi band *	Dual-band (2.4GHz + 5GHz or 2.4GHz + 6GHz)	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Packaging content	
WLAN data transfer rate (max) *	2402 Mbit/s	AC adapter included	✓
Wi-Fi standards	Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Quick installation guide	✓
Modulation	OFDMA	Antenna	
Network		Antenna design *	External
Ethernet LAN *	✓	Features	
Ethernet LAN interface type *	Gigabit Ethernet	Internal memory	512 MB
Networking standards	IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11n	Internal memory type	DDR4
Policy-based routing	✓	Flash memory	128 MB
Static route	✓	Power	
Ports & interfaces		Power source type *	DC
Ethernet LAN (RJ-45) ports *	6	Output voltage	12 V
USB port *	✓	Output current	2 A
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Power consumption (typical)	22.7 W
Management features		Operational conditions	
Bandwidth control	✓	Operating temperature (T-T)	0 - 40 °C
Reset button	✓	Storage temperature (T-T)	-40 - 70 °C
MU-MIMO technology	✓	Operating relative humidity (H-H)	10 - 90%
		Storage relative humidity (H-H)	5 - 90%
Security		Weight & dimensions	
Security algorithms	SNMP, SNMPv2, SNMPv3, WPA, WPA2, WPA3	Width	226 mm
		Depth	132 mm
		Height	36 mm

Protocols

DHCP client	✗
DHCP server	✓



8885020622416

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-DEC-2024. Prints or copies of Information are only valid on the printed Publication date