Conceptronic BIAN08G geheugenkaartlezer USB 3.2 Gen 2 Type-C Grijs

Merk : Conceptronic

Productnaam : BIAN08G

Artikelcode: BIAN08G

Conceptronic BIAN08G. Compatibele geheugenkaarten: CFexpress 2.0 Type B, Kleur van het product: Grijs, Overdrachtssnelheid: 10000 Mbit/s. Interface: USB 3.2 Gen 2 Type-C. Type stroombron: USB. Breedte: 64 mm, Diepte: 60 mm, Hoogte: 15 mm. Breedte verpakking: 150 mm, Diepte verpakking: 108 mm, Hoogte verpakking: 120 mm

Performance

Compatible memory cards *	CFexpress 2.0 Type B
Number of memory card slots	1
Internal *	✗
Data transfer rate	10000 Mbit/s
Product colour *	Grey
Housing material	Aluminium
Plug and Play	✔
Maximum memory card size	2 TB

Ports & interfaces

Interface *	USB 3.2 Gen 2 Type-C
Integrated USB cable	✔

Power

Power source type	USB

Weight & dimensions

Width	64 mm
Depth	60 mm
Height	15 mm
Weight	50 g
Cable length	0.15 m

Packaging data

Package width	150 mm
Package depth	108 mm
Package height	120 mm
Package weight	88 g
Package type	Hanging box

Packaging content

Manual	✔

Operational conditions

Operating temperature (T-T)	0 - 45 °C
Operating relative humidity (H-H)	5 - 90%

System requirements

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64

System requirements

Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.7 Lion, Mac OS X 10.15 Catalina, Mac OS X 10.7.5 Lion, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.10 Yosemite, Mac OS X 11.0 Big Sur, Mac OS X 10.11 El Capitan, Mac OS X 12.0 Monterey, Mac OS X 10.12 Sierra, Mac OS X 10.5 Leopard, Mac OS X 13.0 Ventura, Mac OS X 10.13 High Sierra, Mac OS X 10.6 Snow Leopard, Mac OS X 14.0 Sonoma
Mobile operating systems supported	Android 7.1, Android 7.1.2, Android 8.0, Android 10.0, Android 8.1, Android 11.0, Android 9.0, Android 12.0, Android 13.0, Android 14.0, Android 5.0, Android 5.1, Android 6.0, Android 7.0

Other features

Compliance certificates	CE, RoHS

Technical details

Country of origin	China

Logistics data

Harmonized System (HS) code	8471900000
Products per master (outer) case	40 pc(s)
Master (outer) case width	455 mm
Master (outer) case length	220 mm
Master (outer) case height	210 mm
Master (outer) case gross weight	4.32 kg
Pallet gross width	120 cm
Pallet gross length	80 cm
Pallet gross height	150 cm
Master (outer) cases per pallet	36 pc(s)

4015867239315