


## Conceptronic EMRICK13G interfacekaart/-adapter Intern USB 3.2 Gen 2 (3.1 Gen 2)

Merk : Conceptronic Artikelcode: EMRICK13G

**Productnaam:** EMRICK13G







Ports & interfaces		Weight & dimensions	
Host interface * Output interface * Expansion card standard USB 3.2 Gen 2 (3.1 Gen 2) Type-C	PCIe USB 3.2 Gen 2 (3.1 Gen 2) PCI 3.0 2	Width Depth Height Weight	80 mm 58 mm 30 mm 32 g
ports quantity SATA power connector type	SATA 15-pin	Packaging data	
Design		Mounting brackets included	✓
Internal * Product colour Hot-swap Country of origin	✓ Green ✓ China	Drivers included Quick installation guide Package width Package depth Package height	30 mm 130 mm 140 mm
Features		Package weight	120 g
Chipset Data transfer rate (max) UASP support	ASM3142 10 Gbit/s	Package type  Logistics data  Harmonized System (HS) code	Box 8471800000
Operational conditions		Products per master (outer) case	30 pc(s)
Operating temperature (T-T) Operating relative humidity (H-H)	0 - 85 °C 15 - 90%	Master (outer) case width Master (outer) case length Master (outer) case height Master (outer) case gross weight Pallet gross width Pallet gross length Pallet gross height Master (outer) cases per pallet	405 mm 340 mm 205 mm 3.6 kg 120 cm 80 cm 163 cm 36 pc(s)

## **System requirements**

Windows 10, Windows 10
Education, Windows 10 Education x64, Windows 10 Enterprise,
Windows 10 Enterprise x64,
Windows 10 Home, Windows 10
Home x64, Windows 10 IOT Core,
Windows 10 IoT Enterprise,
Windows 10 Pro, Windows 10 Pro
x64, Windows 10 x64, Windows 11
Enterprise x64, Windows 11 Home,
Windows 11 Pro, Windows 11 x64,
Windows 8, Windows 8 Enterprise,

Windows operating systems supported

Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1

Pro x64, Windows 8.1 x64

Linux operating systems supported

Technical details

Compliance certificates CE, RoHS



4015867239322

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.