Conceptronic EMRICK14B interfacekaart/-adapter USB 3.2 Gen 2x2 Type-C

Merk : Conceptronic **Artikelcode:** EMRICK14B

Productnaam : EMRICK14B

Conceptronic EMRICK14B. Hostinterface: PCIe, Output interface: USB 3.2 Gen 2x2 Type-C, Uitbreidingskaartstandaard: PCI 3.0. Land van herkomst: China. Chipset: ASM3242, Data transfer snelheid (max): 20 Gbit/s. Ondersteunt Windows: Windows 11 Enterprise x64, Windows 8.1 Pro, Windows 10, Windows 11 Home, Windows 8.1 Pro x64,..., Ondersteunt Mac-besturingssysteem: Mac OS X 10.10 Yosemite, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave,.... Breedte: 79 mm, Diepte: 51 mm, Hoogte: 30 mm

Ports & interfaces

Host interface *	PCIe
Output interface *	USB 3.2 Gen 2x2 Type-C
Expansion card standard	PCI 3.0

Design

Hot-swap	✔
Country of origin	China

Features

Chipset	ASM3242
Data transfer rate (max)	20 Gbit/s
UASP support	✔

Operational conditions

Operating temperature (T-T)	0 - 85 °C
Storage temperature (T-T)	-25 - 85 °C
Operating relative humidity (H-H)	15 - 90%

System requirements

Windows operating systems supported	Windows 11 Enterprise x64, Windows 8.1 Pro, Windows 10, Windows 11 Home, Windows 8.1 Pro x64, Windows 10 Education, Windows 11 Pro, Windows 8.1 x64, Windows 10 Education x64, Windows 11 x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 8, Windows 10 Home x64, Windows 8 Enterprise, Windows 10 IOT Core, Windows 8 Enterprise x64, Windows 10 IoT Enterprise, Windows 8 Pro, Windows 10 Pro, Windows 8 Pro x64, Windows 10 Pro x64, Windows 8 x64, Windows 10 x64, Windows 8.1, Windows 11, Windows 8.1 Enterprise, Windows 11 Enterprise, Windows 8.1 Enterprise x64

Weight & dimensions

Width	79 mm
Depth	51 mm
Height	30 mm
Weight	32 g

Packaging data

Mounting brackets included	✔
Quick installation guide	✔
Package width	30 mm
Package depth	130 mm
Package height	140 mm
Package weight	120 g
Package type	Box

Logistics data

Harmonized System (HS) code	8471800000
Products per master (outer) case	30 pc(s)
Master (outer) case width	405 mm
Master (outer) case length	340 mm
Master (outer) case height	205 mm
Master (outer) case gross weight	3.6 kg
Pallet gross width	120 cm
Pallet gross length	80 cm
Pallet gross height	163 cm
Master (outer) cases per pallet	36 pc(s)

System requirements

Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Linux operating systems supported	✔

Technical details

Compliance certificates	CE, RoHS

4015867239339