Zalman P50 DS Black Midi Tower Zwart

Merk : Zalman

Artikelcode: P50 DS BLACK

Productnaam : P50 DS Black

Zalman P50 DS Black. Vormfactor: Midi Tower, Soort: PC, Kleur van het product: Zwart. Geïnstalleerde ventilatoren zijkant: 3x 120 mm, Zijkant ventilators ondersteunende diameters: 120 mm, Geïnstalleerde ventilatoren achterkant: 1x 120 mm. Ondersteunde HDD-groottes: 2.5,3.5". Breedte: 240 mm, Diepte: 480 mm, Hoogte: 512 mm. Land van herkomst: Zuid-Korea

Design	
Material	Plastic, Steel, Tempered glass
Form factor *	Midi Tower
Type *	PC
Product colour *	Black
Supported motherboard form factors *	ATX, micro ATX, Mini-ITX
Number of 3.5" bays *	3
Number of 2.5" bays	5
Number of expansion slots	7
Side window	✔
Illumination	✔
Illumination colour	Multi
Illumination location	Back, Side
Tempered glass panel(s)	✔
Cable management	✔
Reset button	✔
On/off button	✔
RGB control button	✔
Maximum CPU cooler height	17.8 cm
Maximum graphics card length	43.5 cm
Maximum PSU length	22.5 cm

Power supply	
Power supply included *	✘

Ports & interfaces	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
USB Type-C ports quantity	1

Cooling	
Number of side fans supported (max)	3
Side fans diameters supported	120 mm
Rear fans installed	1x 120 mm
Number of rear fans supported (max)	1
Rear fans diameters supported	120,140 mm
Number of top fans supported (max)	3
Top fans diameters supported	120,140 mm
Number of bottom fans supported (max)	3
Bottom fans diameters supported	120,140 mm
Side radiator sizes supported	120,240,360 mm
Rear radiator sizes supported	120,140 mm
Top radiator sizes supported	120,140,240,280,360 mm

Storage	
Supported HDD sizes *	2.5,3.5"
HDD/SSD combo cage	✔

Weight & dimensions	
Width	240 mm
Depth	480 mm
Height	512 mm
Weight	10.5 kg

Packaging data	
LED controller	✔

Logistics data	
Country of origin	South Korea

Publication date: 22-JAN-2025. Prints or copies of Information are only valid on the printed Publication date

Ports & interfaces	
Combo headphone/mic port	✔
Display	
Built-in display	✔
Cooling	
Side fans installed	3x 120 mm

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-JAN-2025. Prints or copies of Information are only valid on the printed Publication date