

StarTech.com 4K50IC-EXTEND-HDMI audio/video extender AV-zender & ontvanger Zwart

Merk : StarTech.com

Artikelcode: 4K50IC-EXTEND-HDMI

Productnaam : 4K50IC-EXTEND-HDMI

StarTech.com 4K50IC-EXTEND-HDMI. Soort: AV-zender & ontvanger, Maximum resolutie: 3840 x 2160 Pixels, Ondersteundende kabel types: Cat5e, Cat6. Connectiviteitstechnologie: Bedraad, USB-connectortype: USB Type-C. Type stroombron: USB, AC-ingangsspanning: 100 - 240 V, Stroom: 0.3 A. Receiver afmetingen (B x D x H): 40 x 67 x 23 mm, Receiver gewicht: 92 g, Transmitter afmetingen (WxDxH): 40 x 67 x 23 mm. Breedte verpakking: 150 mm, Diepte verpakking: 117 mm, Hoogte verpakking: 77 mm



Features		Power	
Type *	AV transmitter & receiver	USB Power Delivery (USB PD)	✓
Maximum resolution *	3840 x 2160 pixels	External power adapter	✓
Cable types supported	Cat5e, Cat6	Operational conditions	
Maximum transfer distance	60 m	Operating temperature (T-T)	-20 - 60 °C
Maximum refresh rate	60 Hz	Storage temperature (T-T)	-30 - 70 °C
Audio output channels	7.1 channels	Operating relative humidity (H-H)	0 - 90%
Supported graphics resolutions	800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 800 (WXGA), 1280 x 960, 1360 x 768 (WXGA), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1440 x 900, 1600 x 1200 (UXGA), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 1920 x 1440, 2048 x 1152, 2048 x 1536 (QXGA), 2560 x 1440, 2560 x 1600 (WQXGA), 2560 x 1920, 2560 x 2048	Weight & dimensions	
		Receiver dimensions (WxDxH)	40 x 67 x 23 mm
		Receiver weight	92 g
		Transmitter dimensions (WxDxH)	40 x 67 x 23 mm
		Transmitter weight	92 g
HDCP		Packaging data	
✓		Package width	150 mm
Material		Package depth	117 mm
Metal		Package height	77 mm
Rack mounting		Package weight	364 g
✗		Packaging content	
HDCP version		AC adapter included	✓
2.2		Included power plug types	ANZ, EU, NA, UK
Product colour		Quick start guide	✓
Black		Mounting brackets included	✓
Ports & interfaces		Technical details	
Connectivity technology *	Wired	Compliance certificates	Federal Communications Commission (FCC), RoHS
RJ-45 input ports	1	Logistics data	
RJ-45 output ports	1	Master (outer) case width	430 mm
HDMI in	1		
Number of HDMI outputs	1		
HDMI version	2.0		

Ports & interfaces		Logistics data	
USB ports quantity	1	Master (outer) case length	330 mm
USB connector type	USB Type-C	Master (outer) case height	380 mm
Power		Products per master (outer) case	30 pc(s)
Power source type	USB		
AC input voltage	100 - 240 V		
Input current	0.3 A		
Operating voltage (transmitter)	5 V		
Output current	2 A		
Operating voltage (receiver)	5 V		
Power consumption (typical)	10 W		



0065030918299



065030918299

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-APR-2025. Prints or copies of Information are only valid on the printed Publication date