



## Lenovo ThinkStation P3 Ultra SFF Gen 2 Intel Core Ultra 7 265 16 GB DDR5-SDRAM 1 TB SSD Windows 11 Pro Workstation Zwart

**Merk :** Lenovo

**Productfamilie:** ThinkStation

**Artikelcode:** 30J5003CBF

**Productnaam :** ThinkStation P3  
Ultra SFF Gen 2

- Intel Core Ultra 7 265, 20C (8P + 12E)/20T, Max Turbo up to 5.3GHz, 30MB Intel Smart Cache
- 1x 16GB CSODIMM DDR5-6400 Non-ECC
- 1x 1TB SSD M.2 2280 PCIe 4.0x4 NVMe Opal
- Intel Graphics
- Windows 11 Pro

Intel Core Ultra 7 265, 20C (8P + 12E)/20T, Max Turbo up to 5.3GHz, 30MB Intel Smart Cache, 1x 16GB CSODIMM DDR5-6400 Non-ECC, 1x 1TB SSD M.2 2280 PCIe 4.0x4 NVMe Opal, Intel Graphics, Windows 11 Pro



[Lenovo ThinkStation P3 Ultra SFF Gen 2 Intel Core Ultra 7 265 16 GB DDR5-SDRAM 1 TB SSD Windows 11 Pro Workstation Zwart:](#)

### Compact Workstation, Big AI Performance

- Compact 3.9L design with support for remote management
- AI-optimized performance, ultimate flexibility
- Secure, durable, and ready to tackle the most demanding workflows

Processor		Grafisch	
Processorfabrikant *	Intel	Familie ingebouwde grafische adapter	Intel Graphics
Processorfamilie *	Intel Core Ultra 7	On-board graphics adapter model *	Intel Graphics
Processorgeneratie	Intel Core Ultra (Series 2)	<b>Netwerk</b>	
Processormodel *	265	Ethernet LAN *	✓
Aantal processorkernen	20	Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s
Processor aantal threads	20	Wifi *	✗
Maximale turbofrequentie van processor	5,3 GHz	<b>Poorten &amp; interfaces</b>	
Prestatiekernen	8	Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type A *	5
Efficiënte kernen	12	Aantal USB 3.2 Gen 2.2 Type-C-poorten	2
Performance-core Max Turbo Frequency	5,2 GHz	Aantal DisplayPorts	3
Efficient-core Max Turbo Frequency	4,6 GHz	Aantal Ethernet LAN (RJ-45)-poorten	1
Prestatie-kernbasisfrequentie	2,4 GHz	Combo koptelefoon/microfoon port	✓
Efficiënte kernbasisfrequentie	1,8 GHz	<b>Design</b>	
Processor cache	30 MB	Type behuizing *	SFF
Processor cache type	Smart Cache	Bevestigingsmogelijkheid voor kabelslot	✓
Processor basisvermogen	65 W	Kabelslot sleuf type	Kensington
Maximaal turbovermogen	182 W	Kleur van het product *	Zwart
<b>Neurale verwerkingseenheid (NPU)</b>		<b>Prestatie</b>	
Neurale verwerkingseenheid (NPU)	Intel AI Boost	Chipset moederbord	Intel W880
Sparsity-ondersteuning	✓	Trusted Platform Module (TPM)	✓
Ondersteuning voor Windows Studio-effecten	✓	Type product *	Workstation
AI-softwareframeworks ondersteund door NPU	DirectML, OpenVINO, Windows ML, ONNX RT, WebNN	<b>Software</b>	
Totale processorprestaties tot	33 TOPs	Architectuur besturingssysteem	64-bit
NPU-prestaties tot	13 TOPs	Inclusief besturingssysteem *	Windows 11 Pro
GPU-prestaties tot	8 TOPs	<b>Energie</b>	
<b>Geheugen</b>		Netvoeding *	170 W
Intern geheugen *	16 GB	Voeding, voltage ingang	100 - 240 V
Maximum intern geheugen *	128 GB		
Intern geheugentype	DDR5-SDRAM		
Geheugenlayout	1 x 16 GB		

Geheugen		Energie	
Geheugenslots	2x SO-DIMM	Ingangsfrequentie voeding	50/60 Hz
Kloksnelheid geheugen	6400 MHz	<b>Eisen aan de omgeving</b>	
<b>Opslagmedia</b>		Bedrijfstemperatuur (T-T)	5 - 35 °C
Totale opslagcapaciteit *	1 TB	Temperatuur bij opslag	-40 - 60 °C
Opslagmedia *	SSD	Relatieve vochtigheid in bedrijf (V-V)	20 - 80 procent
Soort optische drive *	✗	Luchtvochtigheid bij opslag	10 - 90 procent
Totale capaciteit SSD's	1 TB	Hoogte, in bedrijf	0 - 3048 m
Aantal geïnstalleerde SSD's	1	Hoogte bij opslag	0 - 12192 m
SSD capaciteit	1 TB	<b>Gewicht en omvang</b>	
SSD interfaces	PCI Express 4.0	Breedte *	87 mm
NVMe	✓	Diepte *	223 mm
SSD-vormfactor	M.2	Hoogte *	202 mm
<b>Grafisch</b>		Gewicht *	3,6 kg
Aparte grafische adapter *	✗	<b>Inhoud van de verpakking</b>	
Ingebouwde grafische adapter *	✓	Inclusief muis	✓
Discreet grafische adapter model *	Niet beschikbaar	<b>Beeldscherm</b>	
Interne-GPU-fabrikant	Intel	Inclusief monitor *	✗
		<b>Audio</b>	
		Audiochip	Realtek ALC623-CG
		Audiosysteem	High Definition Audio



0198158189705



198158189705

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.