

GIGABYTE B760M AORUS ELITE WIFI6E GEN5 Intel B760 LGA 1700 micro ATX

Merk : GIGABYTE

Artikelcode: B760M A E WF6E GEN5

Productnaam : B760M AORUS ELITE WIFI6E GEN5




GIGABYTE B760M AORUS ELITE WIFI6E GEN5. Processorfabrikant: Intel, Processor socket: LGA 1700, Compatibele processors: Intel® Celeron®, Intel Core i3 12th Gen, Intel Core i3 13th Gen, Intel Core i3 14th Gen, Intel.... Ondersteunde geheugen types: DDR5-SDRAM, Maximum intern geheugen: 256 GB, Geheugen slots type: DIMM. Ondersteunde opslagstationinterfaces: M.2, PCI Express 4.0, SATA III, Ondersteunde types opslag-drives: HDD & SSD, Soorten RAID: 0, 1, 5, 10. Maximum resolutie: 4096 x 2304 Pixels. Ethernet interface type: 2.5 Gigabit Ethernet, LAN controller: Realtek RTL8125, Wifi-standaard: Wi-Fi 6E (802.11ax)



Processor		Aansluitingen achterzijde	
Processorfabrikant *	Intel	S/PDIF-uitgang	✓
Processor socket *	LGA 1700	Digitale audio, optische uitgang	1
Compatibele processors *	Intel® Celeron®, Intel Core i3 12th Gen, Intel Core i3 13th Gen, Intel Core i3 14th Gen, Intel Core i5 12th Gen, Intel Core i5 13th Gen, Intel Core i5 14th Gen, Intel Core i7 12th Gen, Intel Core i7 13th Gen, Intel Core i7 14th Gen, Intel Core i9 12th Gen, Intel Core i9 13th Gen, Intel Core i9 14th Gen, Intel® Pentium®	WiFi-AP antenna jack	2
		Netwerk	
		Ethernet LAN	✓
		Ethernet interface type	2.5 Gigabit Ethernet
		LAN controller	Realtek RTL8125
Supported processor sockets	LGA 1700	Wifi *	✓
Geheugen		Wifi-standaard	Wi-Fi 6E (802.11ax)
Ondersteunde geheugen types *	DDR5-SDRAM	Wi-Fi-standaarden	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Aantal geheugenslots *	4	WLAN-controller-model	Intel Wi-Fi 6E AX210
Geheugen slots type	DIMM	Bluetooth	✓
Geheugen kanaal	Dubbelkanaals	Bluetooth-versie	5.3
ECC-compatibiliteit	ECC & Niet-ECC	Kenmerken	
Supported memory clock speeds	4400,4800,5200,5600 MHz	Chipset moederbord *	Intel B760
Ondersteunde geheugenkloksnelheid (max)	5600 MHz	Audiochip	Realtek ALC1220-VB
Maximum intern geheugen *	256 GB	Audio-uitgangskanalen *	7.1 kanalen
Niet gebufferd geheugen	✓	Kleur van het product	Zwart
Maximaal intern geheugen per slot	64 GB	PC gezondheids monitor	Ventilator, Temperatuur, Spanning, Water cooling
Opslag-controllers		Component voor *	PC
Ondersteunde types opslag-drives	HDD & SSD	Moederbord form factor *	micro ATX
Ondersteunde opslagstationinterfaces *	M.2, PCI Express 4.0, SATA III	Moederbord chipset familie *	Intel
Maximum aantal HDD's per behuizing	4	Type koeling	Passief
Aantal storage drives ondersteund	6	Type stroombron	ATX
RAID support	✓	Ondersteunt Windows	Windows 10 x64, Windows 11 x64
Soorten RAID	0, 1, 5, 10	Uitbreidingsmodules	
		PCI Express x16 (Gen 4.x) sleuven	1
		PCI Express x16 (Gen 5.x) sleuven	1

Grafisch		Uitbreidingsmodules	
Ondersteuning voor parallel processing *	Niet ondersteund	Aantal M.2 (M) slots	2
Maximum resolutie	4096 x 2304 Pixels	1e M.2 grootste sleutelgrootte	2280
HDCP	✓	1e M.2 hoogste PCI Express-generatie	4.0
DirectX versie	12.0	2e M.2 grootste sleutelgrootte	22110
Interne aansluitingen		2e M.2 hoogste PCI Express-generatie	4.0
USB 2.0 aansluitingen *	2	BIOS	
USB 3.2 Gen 1 (3.1 Gen 1)-aansluitingen *	1	BIOS type *	UEFI AMI
USB 3.2-connectoren (3.1 Gen 2) *	1	Grootte BIOS-geheugen	256 Mbit
Aantal SATA III connectors *	4	ACPI version	5.0
Aansluiting voor audiopaneel aan voorzijde	✓	Clear CMOS jumper	✓
Voorpaneel-connector	✓	Versie Desktop Management Interface (DMI)	2.7
ATX Power connector (24-pin)	✓	Systeem Management BIOS (SMBIOS) versie	2.7
Aansluiting voor CPU koeler	✓	Logistieke gegevens	
Aantal CPU-ventilatoraansluitingen	1	Land van herkomst	China
Aansluitingen voor behuizingsventilatoren	3	Producten per (binnenste) verzendverpakking	1 stuk(s)
Peripheral (Molex) power connectors (4-pin)	1	Accu/Batterij	
EPS power connector (8-pin)	✓	Gewicht batterij	3 g
Aantal EPS-voedingsaansluitingen (8-pins)	1	Lithiumgewicht per batterij	0,07 g
TPM connector	✓	Aantal batterijcellen	1
Thunderbolt-headers	2	Batterijtechnologie	Lithium-Manganees Dioxide (LiMnO2)
12V vermogen-connector	✓	Type batterij	CR2032
RGB LED-aansluitrail	✓	Verpakking	
Aantal RGB LED-pinheaders	4	Breedte verpakking	270 mm
Aansluitingen achterzijde		Diepte verpakking	268 mm
Aantal USB 2.0-poorten *	4	Hoogte verpakking	68 mm
Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type A *	3	Gewicht verpakking	1,75 kg
Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type A *	1	Gewicht en omvang	
Aantal USB 3.2 Gen 2.2 Type-C-poorten	1	Breedte	244 mm
Aantal Ethernet LAN (RJ-45)-poorten *	1	Diepte	244 mm
Aantal HDMI-poorten *	1	Hoogte	35 mm
HDMI versie	2.1	Inhoud van de verpakking	
Aantal DisplayPorts	1	Batterijen inbegrepen	✓
DisplayPort versie	1.2	Antenne inbegrepen	✓
Hoofdtelefoonuitgangen	1	Inclusief schroeven	✓
Lijningang	✓	Meegeleverde software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Overige specificaties	
		Gewicht	1,33 kg
		Technische details	
		Garantieperiode	3 jaar



4719331872069

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.