



TP-Link BE3600 Netwerkwzender & -ontvanger Wit 2500 Mbit/s

Merk : TP-Link

Artikelcode: RE235BE

Productnaam : BE3600

TP-Link BE3600. Soort: Netwerkwzender & -ontvanger, Overdrachtssnelheid: 2882 Mbit/s, Ethernet LAN, data-overdrachtssnelheden: 2500 Mbit/s. Soort antenne: Extern, Zendvermogen (FCC): 30 dBm. Wi-Fi-standaarden: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 7..., Wifi-band: Dual-band (2.4 GHz / 5 GHz), Bandbreedte: 0,32 GHz. Kleur van het product: Wit, Aantal per verpakking: 1 stuk(s). AC-ingangsspanning: 100-240 V, AC-ingangsfrequentie: 50/60 Hz, Stroom: 0.3 A



Prestatie		Design	
Soort *	Netwerkwzender & -ontvanger	Aantal per verpakking	1 stuk(s)
Overdrachtssnelheid	2882 Mbit/s	Reset button	✓
Ethernet LAN, data-overdrachtssnelheden	2500 Mbit/s	Energie	
WPS Push Button Security	✓	AC-ingangsspanning	100-240 V
Ondersteunt Windows	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP	AC-ingangsfrequentie	50/60 Hz
Ondersteunt Mac-besturingssysteem	MacOS	Stroom	0.3 A
Ondersteunt Linux	✓	Stroomverbruik (typisch)	15 W
Ondersteunde browser	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other Java-enabled browser	Type stekker	Type B
Antenne		Eisen aan de omgeving	
Antennas quantity	2	Bedrijfstemperatuur (T-T)	0 - 40 °C
Soort antenne	Extern	Temperatuur bij opslag	-40 - 70 °C
Zendvermogen (FCC)	30 dBm	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Netwerk		Luchtvochtigheid bij opslag	5 - 90 procent
Wifi	✓	Gewicht en omvang	
Wi-Fi-standaarden	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 7 (802.11be)	Breedte	97 mm
Wifi-band	Dual-band (2.4 GHz / 5 GHz)	Diepte	46 mm
		Hoogte	158 mm
		Inhoud van de verpakking	
		Snelstartgids	✓
		Verpakking	
		Type verpakking	Doos

Netwerk		Certificaten	
Bandbreedte	0,32 GHz	Certificaten van naleving	CE, Federal Communications Commission (FCC), RoHS, UKCA
Ondersteunde beveiligingsalgoritmen	WPA, WPA2-PSK, WPA3	Kenmerken	
Poorten & interfaces		Netwerkfuncties	Multi-Link Operation (MLO), 320 MHz Channel, 4K-QAM, Multi-RUs
Aantal Ethernet LAN (RJ-45)-poorten	1		
Design			
Kleur van het product	Wit		



1210002601443

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.