

ASUS Prime -650B-BLACK power supply unit 650 W 20+4 pin ATX ATX Zwart

Merk : ASUS

Productfamilie: Prime

Artikelcode: 90YE00Y1-B0NA00

Productnaam : PRIME-650B-BLACK



ASUS Prime -650B-BLACK. Totaal vermogen: 650 W, AC-ingangsspanning: 100 - 240 V, Power Factor Correctie (PFC) type: Actief. Motherboard power connector: 20+4 pin ATX, Lengte SATA-stroomkabel: 120,400 mm, Lengte stroomkabel randapparaat (Molex): 120,400 mm. Bedoeld voor: PC, Vormfactor van de voeding (PSU): ATX, 80 PLUS certificatie: 80 PLUS Bronze. Kleur van het product: Zwart, Type koeling: Actief, Ventilator diameter: 13,5 cm. Meegeleverde kabels: AC, CPU, PCIe, Peripheral (Molex), SATA



Energie		Poorten & interfaces	
Totaal vermogen *	650 W	CPU power connector (4+4 pin)	✓
AC-ingangsspanning *	100 - 240 V	Lengte CPU-stroomkabel	80 cm
Power Factor Correctie (PFC) type	Actief	Bekabelingstype	Niet-modulair
Gecombineerd vermogen (+3.3V)	110 W	Prestatie	
Gecombineerd vermogen (+12V)	648 W	80 PLUS certificatie *	80 PLUS Bronze
Gecombineerd vermogen (+5V)	110 W	Bedoeld voor *	PC
Gecombineerd vermogen (-12V)	3,6 W	Vormfactor van de voeding (PSU) *	ATX
Gecombineerd vermogen(+5Vsb)	12,5 W	Bearing technologie	DBB
Max huidige output (+3.3V)	20 A	Mean time between failures (MTBF)	120000 uur
Max huidige output(+12V)	54 A	Design	
Max huidige output (+5V)	20 A	Kleur van het product	Zwart
Max huidige output (-12V)	0,3 A	Type koeling	Actief
Max huidige output (+5Vsb)	2,5 A	Ventilator diameter	13,5 cm
Stroomspanning bescherming	Overstroom, Te hoog vermogen, Overspanning, Oververhitting, Kortsluiting, Onder spanning	Inhoud van de verpakking	
Poorten & interfaces		Meegeleverde kabels	AC, CPU, PCIe, Peripheral (Molex), SATA
Motherboard power connector *	20+4 pin ATX	Certificaten	
Aantal SATA power connectors	5	Certificaten van naleving	RoHS
Lengte SATA-stroomkabel	120,400 mm	Gewicht en omvang	
Peripheral (Molex) power connectors (4-pin) *	3	Breedte	150 mm
Lengte stroomkabel randapparaat (Molex)	120,400 mm	Diepte	150 mm
PCI Express power connectors (8-pin)	2	Hoogte	86 mm
Lengte PCI Express-stroomkabel	60 cm	Gewicht	2,2 kg
		Verpakking	
		Breedte verpakking	340 mm
		Diepte verpakking	196 mm

Verpakking

Hoogte verpakking	115 mm
Gewicht verpakking	3 kg
Type verpakking	Doos



4711387635285



0197105635289



197105635289

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.