

ASUS ROG -THOR-1200P3-MIKU power supply unit 1200 W 20+4 pin ATX ATX Meerkleurig

Merk : ASUS

Productfamilie: ROG

Artikelcode: 90YE00V6-B0NA00

Productnaam : ROG-THOR-1200P3-MIKU

ASUS ROG -THOR-1200P3-MIKU. Totaal vermogen: 1200 W, AC-ingangsspanning: 100 - 240 V, Power Factor Correctie (PFC) type: Actief. Motherboard power connector: 20+4 pin ATX, Lengte stroomkabel moederbord: 61 cm, Lengte SATA-stroomkabel: 400,120 mm. Bedoeld voor: PC, Vormfactor van de voeding (PSU): ATX, 80 PLUS certificatie: 80 PLUS Platinum. Kleur van het product: Meerkleurig, Type koeling: Actief. Meegeleverde kabels: CPU, PCIe, SATA, Peripheral (Molex), Verpakkingsinhoud: Power cord x 1 Motherboard power cable x 1 (610mm) CPU cable x 2 (1000mm) PCI-E Gen 5 16-pin cable...



Energie		Poorten & interfaces	
Totaal vermogen *	1200 W	Bekabelingstype	Volledig modulair
AC-ingangsspanning *	100 - 240 V	Prestatie	
Power Factor Correctie (PFC) type	Actief	80 PLUS certificatie *	80 PLUS Platinum
Gecombineerd vermogen (+3.3V)	125 W	Bedoeld voor *	PC
Gecombineerd vermogen (+12V)	1200 W	Vormfactor van de voeding (PSU) *	ATX
Gecombineerd vermogen (+5V)	125 W	ATX version	3.1
Gecombineerd vermogen (-12V)	3,6 W	Bearing technologie	DBB
Gecombineerd vermogen(+5Vsb)	15 W	Mean time between failures (MTBF)	120000 uur
Max huidige output (+3.3V)	30 A	Design	
Max huidige output(+12V)	100 A	Kleur van het product	Meerkleurig
Max huidige output (+5V)	25 A	Type koeling	Actief
Max huidige output (-12V)	0,3 A	Belichting	✓
Max huidige output (+5Vsb)	3 A	Inhoud van de verpakking	
Stroomspanning bescherming	Oververhitting, Overstroom, Te hoog vermogen, Overspanning, Kortsluiting, Ondervermogen	Meegeleverde kabels	CPU, PCIe, SATA, Peripheral (Molex) Power cord x 1 Motherboard power cable x 1 (610mm) CPU cable x 2 (1000mm) PCI-E Gen 5 16-pin cable x 1 (750mm) PCI-E cable 1-to-1 x 4 (750mm) SATA cable 1-to-4 x 1 (400+120+120+120mm) SATA cable 1-to-3 x 1 (400+120+120mm) Peripheral cable 1-to-3 x 2 (400+150+150mm) Addressable RGB cable x 1 (800mm) ROG sticker x 1 ROG cable tie x 6 Chassis screws package x 1 Cable tie x 12 Thank you card x 1 User manual x 1
Poorten & interfaces		Verpakkingsinhoud	
Motherboard power connector *	20+4 pin ATX	Gewicht en omvang	
Lengte stroomkabel moederbord	61 cm	Breedte	190 mm
Aantal SATA power connectors	7	Diepte	150 mm
Lengte SATA-stroomkabel	400,120 mm		
Peripheral (Molex) power connectors (4-pin) *	6		
Lengte stroomkabel randapparaat (Molex)	400,150 mm		
PCI Express power connectors (6+2 pin)	4		
PCI Express-voedingsconnectoren (16-pins)	1		
Lengte PCI Express-stroomkabel	75 cm		

Poorten & interfaces		Gewicht en omvang	
CPU power connector (4+4 pin)	✓	Hoogte	86 mm
Lengte CPU-stroomkabel	100 cm	Gewicht	2,37 kg
		Verpakking	
		Breedte verpakking	379 mm
		Diepte verpakking	241 mm
		Hoogte verpakking	127 mm
		Gewicht verpakking	5,21 kg
		Type verpakking	Doos



4711636125581

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.