

ZYXEL

Zyxel EX3501-T0 draadloze router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) Wit

Merk : Zyxel

Artikelcode: EX3501-T0-EU01V2F


Productnaam : EX3501-T0

Zyxel EX3501-T0. Type WAN-aansluiting: RJ-45. Wifi-band: Dual-band (2.4 GHz / 5 GHz), Wifi-standaard: Wi-Fi 6 (802.11ax), WLAN gegevensoverdrachtsnelheid (max): 2400 Mbit/s. Interfacetype Ethernet LAN: Gigabit Ethernet, Ethernet LAN, data-overdrachtsnelheden: 10,100,1000 Mbit/s, Netwerkstandaard: IEEE 802.1Q. Ondersteunde beveiligingsalgoritmen: HTTPS, IPSec, SNMP, SNMPv2, WPA2-PSK, WPA3-SAE. Type product: Router om neer te zetten, Kleur van het product: Wit, LED-indicatoren: DSL, LAN, Stroom, WPS



WAN-verbinding		Beveiliging	
Ethernet WAN *	✓	Firewall	✓
SIM-kaartsleuf *	✗	Stateful Packet Inspection (SPI)	✓
3G/4G USB modem compatibiliteit *	✗	DoS aanval preventie	✓
Type WAN-aansluiting	RJ-45	MAC adres filtering	✓
Draadloos LAN		IGMP snooping	✓
Wifi-band *	Dual-band (2.4 GHz / 5 GHz)	Network address translation (NAT)	✓
Wifi-standaard *	Wi-Fi 6 (802.11ax)	Protocollen	
WLAN gegevensoverdrachtsnelheid (max) *	2400 Mbit/s	DHCP server	✓
Wi-Fi-standaarden	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Design	
WLAN gegevensoverdrachtsnelheid (eerste band)	600 Mbit/s	Kleur van het product	Wit
WLAN gegevensoverdrachtsnelheid (tweede band)	2400 Mbit/s	LED-indicatoren	DSL, LAN, Stroom, WPS
Modulatie	DTMF, OFDMA	Aan/uitschakelaar	✓
Netwerk		Type product *	Router om neer te zetten
Ethernet LAN *	✓	Certificaten	
Interfacetype Ethernet LAN *	Gigabit Ethernet	Certificaten van naleving	CE, RoHS, UKCA
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Inhoud van de verpakking	
Netwerkstandaard	IEEE 802.1Q	Meegeleverde kabels	LAN (RJ-45), Telefoon (RJ-11)
Port forwarding	✓	Inclusief AC-adapter	✓
Automatische kanaalselectie	✓	Snelstartgids	✓
Dynamic DNS (DDNS)	✓	Antenne	
USB delen	✓	Antenne-ontwerp *	Intern
VPN-doorvoer	✓	Soort antenne	2x2
		Kenmerken	
		Upgraden van firmware mogelijk	✓

Netwerk		Energie	
PPPoE/PPTP/L2TP-doorgifte	✓	Type stroombron *	DC
Poorten & interfaces		Eisen aan de omgeving	
Aantal Ethernet LAN (RJ-45)-poorten *	4	Bedrijfstemperatuur (T-T)	0 - 40 °C
USB-poort *	✓	Temperatuur bij opslag	-30 - 70 °C
Aantal USB 2.0-poorten	1	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
RJ-11 ports kwantiteit	2	Luchtvochtigheid bij opslag	10 - 95 procent
Aansluiting voor netstroomadapter	✓	Gewicht en omvang	
Beheerfuncties		Breedte	165 mm
Wifi Multimedia (WMM)/(WME)	✓	Diepte	170 mm
Quality of Service (QoS)	✓	Hoogte	30 mm
Reset button	✓	Gewicht	288 g
WPS Push Button Security	✓	Verpakking	
MU-MIMO-technologie	✓	Breedte verpakking	171,5 mm
Beveiliging		Diepte verpakking	186 mm
Ondersteunde beveiligingsalgoritmen	HTTPS, IPSec, SNMP, SNMPv2, WPA2-PSK, WPA3-SAE	Hoogte verpakking	82,5 mm
		Gewicht verpakking	557 g
		Aantal producten inbegrepen	1 stuk(s)



4718937634767

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.