

USB-A to USB-C Adapter, USB-A Male to USB-C Female Converter, USB 10Gbps, 5V 900mA, USB to USB C Adapter for USB-A Chargers/Hubs

Productcode: U32-AMCF-USBADAPTER



Connect a USB-C cable to a USB-A laptop or convert a USB-A port to Type-C using this compact USB-A Male to USB-C Female adapter. The compact, streamlined design ensures straightforward connectivity without blocking adjacent ports, and supports USB 10Gbps performance for fast data transfer.

The USB-A to USB-C adapter is universally compatible with any operating system. Simple plug-and-play setup enables instant deployment. The adapter supports USB 10Gbps and facilitates up to 5V/900mA output from a powered USB-A connection such as a wall charger. This enables consistent charging to a USB-C device from a USB-A source. Please note that USB-C video and Power Delivery are not supported.

The USB-A to USB-C adapter features a durable PVC housing that protects against everyday wear. Nickel-plated connectors ensure a flush fit to help reduce signal loss, providing reliable performance for frequent use.

Certificaties, rapporten en compatibiliteit



Toepassingen

- Connect a USB-C device to a USB-A laptop, hub, or charger

- Charge a USB-C device with up to 5V/1.5A from a USB-A charger or port
- Slim, compact housing is durable and will not obstruct adjacent ports

Eigenschappen

- **Add USB-C Connectivity to Any USB-A Host**: Use this slim USB-A Male to USB-C Female adapter to connect USB-C cables and portable devices to USB-A laptops, chargers, and hubs; Note: USB-C video and PD are not supported
- **Extend Legacy System Compatibility**: Access USB-C devices from compatible USB-A workstations, adding full USB 10Gbps performance on systems without native USB Type-C ports; This adapter works with USB-C peripherals only and does not support USB-C docks and video adapters
- **Quick Driverless Setup**: Simple plug-and-play installation requires no drivers and works across all operating systems; Attach the adapter to any USB-A port and connect your USB-C cable and device to start syncing or charging, up to 5V 900mA
- **Compact Form Factor**: Slim, compact design prevents the obstruction of adjacent device ports and is ideal for small laptops and USB hubs; Robust PVC outer housing enhances durability and wear protection
- **The IT Pro's Choice**: Our USB-C adapters and cables are rigorously tested in our in-house Innovation Lab for reliable performance, durability, and broad compatibility with a variety of devices; Backed by free lifetime 24/5 multi-lingual technical assistance

Hardware

Garantiebeleid	Lifetime
Active or Passive Adapter	Passief
Poorten	1
Connectormateriaal	Nikkel
Chipsetcode	VL162

Prestaties

Maximale overdrachtsnelheid	10Gbps
-----------------------------	--------

Connector(en)

Connector A	1 - USB 3.2 Type-C (24 pin, Gen 1, 5Gbps)
Connector B	1 - USB Type-A (9-polig) USB 3.0 (5 Gbps)

Voeding		
	Ingangsspanning	5V DC
	Ingangsstroom	900mA
Gebruiksomgeving		
	Bedrijfstemperatuur	0 to 40 (32°F to 104°F)
	Opslagtemperatuur	-10 to 70 (14°F to 158°F)
	Vochtigheid	10%~90%
Fysieke eigenschappen		
	Kleur	Zwart
	Stijl connector	Recht
	Type behuizing	PVC
	Lengte product	1.6 in [4.0 cm]
	Breedte product	0.6 in [1.6 cm]
	Hoogte product	0.3 in [7.6 mm]
	Gewicht product	0.2 oz [5 g]
Verpakkingsinformatie		
	Lengte Verpakking	3.1 in [8.0 cm]
	Breedte Verpakking	3.9 in [10.0 cm]
	Hoogte Verpakking	0.4 in [1.0 cm]
	Verzendgewicht (verpakt)	0.4 oz [11.5 g]
Wat wordt er meegeleverd		
	Meegeleverd	1 - USB-A Male to USB-C Female Adapter

* Uitvoering en specificaties van het product zijn zonder aankondiging vatbaar voor wijzigingen.