

## Brother TD-4215D labelprinter Direct thermisch 203 x 203 DPI 127 mm/sec Bedraad

**Merk :** Brother

**Artikelcode:** TD-4215D

**Productnaam :** TD-4215D

Brother TD-4215D. Printtechnologie: Direct thermisch, Maximale resolutie: 203 x 203 DPI, Printsnelheid (metrisch): 127 mm/sec. Connectiviteitstechnologie: Bedraad, USB-poort. Kleur van het product: Grijs, Wit



| Printsnelheid                |                                                                                    | Design                                  |                                                                                                                                                                                                                                                                                                         |
|------------------------------|------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Printtechnologie *           | Direct thermisch                                                                   | Ingebouwd display                       | ✗                                                                                                                                                                                                                                                                                                       |
| Kleur *                      | ✗                                                                                  | Energie                                 |                                                                                                                                                                                                                                                                                                         |
| Maximale resolutie *         | 203 x 203 DPI                                                                      | Automatisch uitschakelen                | ✓                                                                                                                                                                                                                                                                                                       |
| Printsnelheid (metrisch) *   | 127 mm/sec                                                                         | Minimale systeemeisen                   |                                                                                                                                                                                                                                                                                                         |
| Tekststijl                   | Bold, Horizontale lijnen, Invert, Cursief, Normaal, Shadow, Shadow light, Surround | Ondersteunt Windows                     | Windows 10, Windows 7, Windows 8, Windows 8.1                                                                                                                                                                                                                                                           |
| Papier                       |                                                                                    | Ondersteunde server operating systems   | Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016                                                                                                                                                                                           |
| Maximale label breedte       | 11,8 cm                                                                            | Ondersteunde mobiele besturingssystemen | Android 4.1, Android 4.2, Android 4.2.1, Android 4.2.2, Android 4.3, Android 4.4, Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2, Android 8.0, Android 9.0, iOS 10.0, iOS 11.0, iOS 12, iOS 8.0, iOS 8.1, iOS 8.2, iOS 8.3, iOS 8.4, iOS 9.0, iOS 9.1, iOS 9.2, iOS 9.3 |
| Maximum roll diameter        | 12,7 cm                                                                            | Ondersteunt Linux                       | ✓                                                                                                                                                                                                                                                                                                       |
| Poorten & interfaces         |                                                                                    | Eisen aan de omgeving                   |                                                                                                                                                                                                                                                                                                         |
| Connectiviteitstechnologie * | Bedraad                                                                            | Relatieve vochtigheid in bedrijf (V-V)  | 5 - 40 procent                                                                                                                                                                                                                                                                                          |
| Ethernet LAN *               | ✗                                                                                  | Luchtvochtigheid bij opslag             | 20 - 85 procent                                                                                                                                                                                                                                                                                         |
| Wifi *                       | ✗                                                                                  | Bedrijfstemperatuur (T-T)               | 10 - 90 °C                                                                                                                                                                                                                                                                                              |
| Bluetooth                    | ✗                                                                                  | Temperatuur bij opslag                  | -20 - 60 °C                                                                                                                                                                                                                                                                                             |
| USB-poort *                  | ✓                                                                                  | Verpakking                              |                                                                                                                                                                                                                                                                                                         |
| Aantal USB 2.0-poorten       | 1                                                                                  | Aantal per verpakking                   | 1 stuk(s)                                                                                                                                                                                                                                                                                               |
| RS-232 port                  | 1                                                                                  |                                         |                                                                                                                                                                                                                                                                                                         |
| Prestatie                    |                                                                                    |                                         |                                                                                                                                                                                                                                                                                                         |
| Paginabeschrijving talen     | ESC P, Raster_P, ZPL II                                                            |                                         |                                                                                                                                                                                                                                                                                                         |
| Intern geheugen              | 256 MB                                                                             |                                         |                                                                                                                                                                                                                                                                                                         |
| Flash memory                 | 64 MB                                                                              |                                         |                                                                                                                                                                                                                                                                                                         |
| Aantal lettertypes           | 6                                                                                  |                                         |                                                                                                                                                                                                                                                                                                         |
| Fontstijlen                  | Brougham, Brussels, Helsinki, Letter Gothic, San Diego                             |                                         |                                                                                                                                                                                                                                                                                                         |
| Design                       |                                                                                    |                                         |                                                                                                                                                                                                                                                                                                         |
| Kleur van het product *      | Grijs, Wit                                                                         |                                         |                                                                                                                                                                                                                                                                                                         |

| Inhoud van de verpakking     |                      |
|------------------------------|----------------------|
| Meegeleverde kabels          | AC, USB              |
| Snelstartgids                | ✓                    |
| Garantiekkaart               | ✓                    |
| Overige specificaties        |                      |
| LED-indicatoren              | Fout, Stroom, Status |
| Behoud van reserveonderdelen | 5 jaar               |



4977766848084

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.