


## ASUS P13R-M Intel C262 LGA 1700 micro ATX

**Merk :** ASUS

**Artikelcode:** 90SB0C70-M0UAY1

**Productnaam :** P13R-M

ASUS P13R-M. Processorfabrikant: Intel, Processor socket: LGA 1700, Compatibele processors: Intel® Pentium®, Intel Xeon E. Ondersteunde geheugen types: DDR5-SDRAM, Maximum intern geheugen: 128 GB, Geheugen slots type: DIMM. Ondersteunde opslagstationinterfaces: M.2, SATA III, Ondersteunde types opslag-drives: HDD & SSD. Grafische adapter-familie: ASPEED, Grafische adapter: AST2600. Ethernet interface type: Fast Ethernet, Gigabit Ethernet, LAN controller: Intel® I210-AT



<b>Processor</b>		<b>Aansluitingen achterzijde</b>	
Processorfabrikant *	Intel	Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type A *	3
Processor socket *	LGA 1700	Aantal Ethernet LAN (RJ-45)-poorten *	2
Compatibele processors *	Intel® Pentium®, Intel Xeon E	VGA (D-Sub)poort(en) *	1
<b>Geheugen</b>		<b>Netwerk</b>	
Ondersteunde geheugen types *	DDR5-SDRAM	Ethernet LAN	✓
Aantal geheugenslots *	4	Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Geheugen slots type	DIMM	LAN controller	Intel® I210-AT
Geheugen kanaal	Dubbelkanaals	<b>Kenmerken</b>	
Supported memory clock speeds	3600,4000,4400 MHz	Chipset moederbord *	Intel C262
Maximum intern geheugen *	128 GB	Component voor *	Server
Ondersteunde geheugenmodule capaciteiten	8GB, 16GB, 32GB	Moederbord form factor *	micro ATX
<b>Opslag-controllers</b>		Moederbord chipset familie *	Intel
Ondersteunde types opslag-drives	HDD & SSD	<b>Uitbreidingsmodules</b>	
Ondersteunde opslagstationinterfaces *	M.2, SATA III	PCI Express x8 (Gen 4.x) sleuven	1
Maximum aantal HDD's per behuizing	8	PCI Express x16 (Gen 5.x) sleuven	1
<b>Grafisch</b>		Aantal M.2 (M) slots	1
Grafische adapter-familie	ASPEED	1e M.2 grootste sleutelgrootte	2280
Grafische adapter	AST2600	<b>Eisen aan de omgeving</b>	
<b>Interne aansluitingen</b>		Temperatuur bij opslag	-40 - 70 °C
USB 2.0 aansluitingen *	1	Bedrijfstemperatuur (T-T)	10 - 50 °C
USB 3.2 Gen 1 (3.1 Gen 1)-aansluitingen *	1	Luchtvochtigheid bij opslag	20 - 90 procent
USB 3.2-connectoren (3.1 Gen 2) *	3	<b>Verpakking</b>	
Aantal SATA III connectors *	8	Breedte verpakking	341 mm
ATX Power connector (24-pin)	✓	Diepte verpakking	281 mm
		Hoogte verpakking	78 mm

Interne aansluitingen		Verpakking	
EPS power connector (8-pin)	✓	Gewicht verpakking	1,3 kg
TPM connector	✓	<b>Gewicht en omvang</b>	
Serial port headers	1	Breedte	244 mm
		Diepte	244 mm
		<b>Inhoud van de verpakking</b>	
		Meegeleverde kabels	SATA
		<b>Overige specificaties</b>	
		Gewicht	760 g



4711636234337

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.