

| | | | |
|--------------------------------------|-------------------------------|--|-----------------------|
| Beeldscherm | | Energie | |
| High Dynamic Range (HDR)-technologie | High Dynamic Range 10 (HDR10) | AC-ingangsspanning | 100 - 240 V |
| DDC/CI | ✓ | AC-ingangsfrequentie | 50/60 Hz |
| Hardheid oppervlak | 3H | Stroom | 1.5 A |
| sRGB-dekking (gemiddeld) | 120,9 procent | Soort voeding | Intern |
| Adobe RGB dekking | 91,5 procent | Energie-efficiëntieschaal | A tot G |
| Gleurengamma DCI-P3 | 94 procent | Eisen aan de omgeving | |
| Prestatie | | Bedrijfstemperatuur (T-T) | 0 - 40 °C |
| VESA Adaptive Sync-ondersteuning | ✓ | Temperatuur bij opslag | -25 - 55 °C |
| Knippervrije technologie | ✓ | Relatieve vochtigheid in bedrijf (V-V) | 10 - 85 procent |
| Multimedia | | Luchtvochtigheid bij opslag | 5 - 93 procent |
| Ingebouwde luidsprekers * | ✗ | Hoogte, in bedrijf | 0 - 5000 m |
| Ingebouwde camera * | ✗ | Hoogte bij opslag | 0 - 12192 m |
| Design | | Gewicht en omvang | |
| Markt positionering * | Gamen | Breedte apparaat (met standaard) | 611,5 mm |
| Kleur van het product * | Zwart, Rood | Diepte apparaat (met standaard) | 239,4 mm |
| Frameloos ontwerp | ✓ | Hoogte apparaat (met standaard) | 516,4 mm |
| Rand voorzijde | Zwart | Gewicht (met standaard) | 5,37 kg |
| Afneembare standaard | ✓ | Breedte (zonder voet) | 611,5 mm |
| Voetenkleur | Zwart | Diepte (zonder voet) | 78,7 mm |
| Poorten & interfaces | | Hoogte (zonder voet) | 367,6 mm |
| Ingebouwde USB-hub * | ✗ | Gewicht (zonder voet) | 3,91 kg |
| HDMI * | ✓ | Verpakking | |
| Aantal HDMI-poorten | 2 | Breedte verpakking | 840 mm |
| HDMI versie | 2.0 | Diepte verpakking | 186 mm |
| Aantal DisplayPorts | 1 | Hoogte verpakking | 480 mm |
| DisplayPort versie | 1.4 | Gewicht verpakking | 8,4 kg |
| Hoofdtelefoon uit * | ✓ | Inhoud van de verpakking | |
| Hoofdtelefoonuitgangen | 1 | Meegeleverde kabels | AC, HDMI, DisplayPort |
| Type aansluitplug | 3,5 mm | Overige specificaties | |
| Ergonomie | | Merkspecifieke technologieën | Crosshair |
| VESA-montage * | ✓ | Lage invoervertraging | ✓ |
| Paneelmontage-interface | 100 x 100 mm | FPS-teller | ✓ |
| Verbeterd kabelbeheer | ✓ | Richtpunt | ✓ |
| | | Schaduwregeling | ✓ |
| | | Vermindering van bewegingsonscherpte | ✓ |
| | | Type bezeldikte | Frameloos |
| | | Garantieperiode | 3 jaar |



4038986183499

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.