

iiyama ProLite T2452MSC-B2 computer monitor 61 cm (24") 1920 x 1080 Pixels Full HD Touchscreen

Merk : iiyama

Productfamilie: ProLite

Artikelcode: T2452MSC-B2

Productnaam : T2452MSC-B2

iiyama ProLite T2452MSC-B2. Beeldscherm diagonaal: 61 cm (24"), Resolutie: 1920 x 1080 Pixels, HD type: Full HD, Responstijd: 5 ms, Oorspronkelijke beeldverhouding: 16:9, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. Ingebouwde luidsprekers. Ingebouwde USB-hub, Versie USB-hub: 3.2 Gen 1 (3.1 Gen 1). VESA-montage



Beeldscherm		Ergonomie	
Beeldscherm diagonaal *	61 cm (24")	On Screen Display (OSD)-talen	Duits, Engels, Spaans, Frans, Italiaans, Japans, Nederlands, Pools, Portugees, Russisch
Resolutie *	1920 x 1080 Pixels		
HD type *	Full HD		
Oorspronkelijke beeldverhouding *	16:9		
Soort paneel *	IPS		
Touchscreen *	✓		
Touchscreen technologie	Projected capacitive-systeem		
Hoeveelheid simultane aanraakpunten	10		
Helderheid (typisch)	400 cd/m ²		
Helderheid	360 cd/m ²		
Responstijd *	5 ms		
Type reactietijdmeting	GTG (Gray to Gray)		
Typische contrastverhouding *	1300:1		
Maximale refresh snelheid *	120 Hz		
Kijkhoek, horizontaal	178°		
Kijkhoek, verticaal	178°		
Beeldscherm, aantal kleuren *	16,7 miljoen kleuren		
Pixel pitch	0,275 x 0,275 mm		
Frequentiebereik horizontaal	30 - 138 kHz		
Grootte beeld (horizontaal)	52,7 cm		
Grootte beeld (verticaal)	29,6 cm		
Schermdiagonaal in centimeters	60,5 cm		
Hardheid oppervlak	7H		
Prestatie		Energie	
Knippervrije technologie	✓	Energie-efficiëntieklasse (SDR) *	E
Laag-blauw-licht-technologie	✓	Stroomverbruik (typisch) *	18 W
Palm negeren	✓	Stroomverbruik (in standby) *	1,5 W
		Stroomverbruik (indien uit)	0,3 W
		AC-ingangsspanning	100 - 240 V
		AC-ingangsfrequentie	50/60 Hz
		Soort voeding	Intern
Multimedia		Gewicht en omvang	
Aantal luidsprekers	2	Breedte apparaat (met standaard)	567 mm
Gemiddeld vermogen	2 W	Diepte apparaat (met standaard)	253,5 mm
		Hoogte apparaat (met standaard)	385 mm
		Gewicht (met standaard)	5,6 kg
		Verpakking	
		Breedte verpakking	635 mm
		Diepte verpakking	143 mm
		Hoogte verpakking	405 mm
		Gewicht verpakking	7,1 kg
		USB kabel lengte	1,5 m
		Inhoud van de verpakking	
		Meegeleverde kabels	AC, USB, HDMI
		Snelstartgids	✓
		HDMI-kabellengte	1,5 m
		Lengte stroomkabel	1,8 m
		Duurzaamheid	
		Duurzaamheidscertificaten	ErP

Multimedia		Overige specificaties	
Ingebouwde luidsprekers *	✓		
Design			
Rand voorzijde	Zwart	Compatibele besturingssystemen	All iiyama monitors are Plug & Play and compatible with Windows and Linux. For details regarding the supported OS for the touch models, please refer to the driver instruction file available in the downloads section.
Poorten & interfaces			
Ingebouwde USB-hub *	✓	Positienauwkeurigheid	2 mm
Versie USB-hub	3.2 Gen 1 (3.1 Gen 1)		Picture adjust (brightness, contrast, i-Style Color, adv. contrast, ECO, OverDrive, X-Res technology), color settings (gamma, RGB range, color temp.), image settings (video mode adjust, blue light reducer, sharp and soft), OSD (horizontal pos., vertical pos., OSD time, OSD background, language, display information), extra (reset, DDC/CI, signal select, volume, mute, led, opening logo, touch switch)
Aantal downstreampoorten	2		
USB Touch port	✓		
Aantal DisplayPorts	1		
HDCP	✓	Gebruikersknoppen	
Ergonomie			
VESA-montage *	✓	Helderheid	360 cd/m ²
Paneelmontage-interface	100 x 100 mm	Verpakkingsinhoud	Screwdriver
Verbeterd kabelbeheer	✓	Actief weergavegebied (b x h)	527 x 296,5 mm
Bevestigingsmogelijkheid voor kabelslot *	✓	Touch-methode	stylus, finger, glove (latex)
Kabelslot sleuf type	Kensington	Aantal USB-aansluitingen	2
kantel aanpassingen	✓	Gewicht	5,6 kg
On Screen Display (OSD)	✓	Hoogte	385 mm
		Breedte	567 mm
		Diepte	253,5 mm
		Bedieningspaneel	Menu, scroll up / ECO, scroll down / volume, select / input, power
		Certificaten van naleving	CE, cTUVus, EAC, REACH, RoHS, TÜV mark, UKCA, WEEE
		Mean time between failures (MTBF)	50000 uur



4948570127221

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.