

GENESIS Nihon 750NM power supply unit 750 W 20+4 pin ATX ATX Zwart

Merk : GENESIS

Artikelcode: NGP-2368

Productnaam : Nihon 750NM

750 W, ATX 12V v3.1, 80 Plus Bronze, Cybenetics Silver, Efficiëntie 88%, Niet-modulair, Ventilator 120 mm, 2000 RPM, 24.7 dB, FDB, 150 x 140 x 86 mm, Zwart
 GENESIS Nihon 750NM. Totaal vermogen: 750 W, AC-ingangsspanning: 100 - 240 V, AC-ingangsfrequentie: 50/60 Hz. Motherboard power connector: 20+4 pin ATX, Lengte stroomkabel moederbord: 55 cm, Lengte SATA-stroomkabel: 450,550,650 mm. Bedoeld voor: PC, Vormfactor van de voeding (PSU): ATX, 80 PLUS certificatie: 80 PLUS Bronze. Kleur van het product: Zwart, Type koeling: Actief, Ventilator diameter: 12 cm. Meegeleverde kabels: AC, Verpakkingsinhoud: Gebruikershandleiding, Set van montage-elementen, Klittenbanden, Kabelkammen



Energie		Poorten & interfaces	
Totaal vermogen *	750 W	Bekabelingstype	Niet-modulair
AC-ingangsspanning *	100 - 240 V	Prestatie	
AC-ingangsfrequentie	50/60 Hz	80 PLUS certificatie *	80 PLUS Bronze
Stroom	9 - 4.5 A	Cybenetics-certificering	Zilver
Power Factor Correctie (PFC) type	Actief	Cybenetics-geluidsscore	Standard++
Gecombineerd vermogen (+3.3V)	100 W	Bedoeld voor *	PC
Gecombineerd vermogen (+12V)	750 W	Vormfactor van de voeding (PSU) *	ATX
Gecombineerd vermogen (+5V)	100 W	ATX version	3.1
Gecombineerd vermogen (-12V)	3,6 W	Geluidsniveau	24,7 dB
Gecombineerd vermogen(+5Vsb)	15 W	Bearing technologie	FDB
Max huidige output (+3.3V)	20 A	Mean time between failures (MTBF)	80000 uur
Max huidige output(+12V)	62,5 A	Design	
Max huidige output (+5V)	20 A	Kleur van het product	Zwart
Max huidige output (-12V)	0,3 A	Type koeling	Actief
Max huidige output (+5Vsb)	3 A	Ventilator diameter	12 cm
Efficiëntie	88 procent	Aantal ventilatoren	1 ventilator(en)
Stroomspanning bescherming	Onbelaste werking, Overstroom, Te hoog vermogen, Oververhitting, Kortsluiting, Surge & inrush protection (SIP), Surge & inrush, Overspanning en inschakeling, Onder spanning	Belichting	✗
		Aan/uitschakelaar	✓
Poorten & interfaces		Eisen aan de omgeving	
Motherboard power connector *	20+4 pin ATX	Bedrijfstemperatuur (T-T)	0 - 40 °C
Lengte stroomkabel moederbord	55 cm	Inhoud van de verpakking	
Aantal SATA power connectors	6	Meegeleverde kabels	AC
Lengte SATA-stroomkabel	450,550,650 mm	Verpakkingsinhoud	Gebruikershandleiding, Set van montage-elementen, Klittenbanden, Kabelkammen
Aantal SATA stroomkabels	2	Certificaten	
Peripheral (Molex) power connectors (4-pin) *	2	Certificaten van naleving	CE, RoHS, UKCA
Lengte stroomkabel randapparaat (Molex)	750 mm	Gewicht en omvang	
PCI Express power connectors (6+2 pin)	3	Breedte	150 mm
Lengte PCI Express-stroomkabel	67 cm	Diepte	140 mm
		Hoogte	86 mm

Poorten & interfaces		Gewicht en omvang	
CPU power connector (4+4 pin)	✓	Gewicht	2,13 kg
Lengte CPU-stroomkabel	85 cm	Verpakking	
PCI Express connector	✓	Breedte verpakking	240 mm
Aantal EPS-aansluitingen	2	Diepte verpakking	290 mm
		Hoogte verpakking	125 mm
		Gewicht verpakking	2,52 kg
		Logistieke gegevens	
		Land van herkomst	China



5901969449860

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.