



TP-Link Archer NX505 5G AX3000 Wireless Dual-Band Gigabit draadloze router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) Wit

Merk : TP-Link

Productfamilie: Archer

Artikelcode: ARCHER NX505


Productnaam : Archer NX505
5G AX3000 Wireless Dual-Band
Gigabit

TP-Link Archer NX505 5G AX3000 Wireless Dual-Band Gigabit. Type WAN-aansluiting: RJ-45. Wifi-band: Dual-band (2.4 GHz / 5 GHz), Wifi-standaard: Wi-Fi 6 (802.11ax), WLAN gegevensoverdrachtsnelheid (max): 3000 Mbit/s. Interfacetype Ethernet LAN: Gigabit Ethernet, Ethernet LAN, data-overdrachtsnelheden: 10,100,1000 Mbit/s, Bekabelingstechnologie: 10/100/1000Base-T(X). Generatie mobiel internet: 5G, 3G standaarden: DC-HSDPA, HSPA, HSPA+, UMTS, 4G standaard: LTE-TDD & LTE-FDD. Ondersteunde beveiligingsalgoritmen: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK



WAN-verbinding		Protocollen	
Ethernet WAN *	✓	DHCP client	✓
DSL WAN *	✗	DHCP server	✓
SIM-kaartsleuf *	✓	Universal Plug and Play (UPnP)	✓
Type WAN-aansluiting	RJ-45	Ondersteunde netwerkprotocollen	IPv4, IPv6
Draadloos LAN		Design	
Wifi-band *	Dual-band (2.4 GHz / 5 GHz)	Kleur van het product	Wit
Wifi-standaard *	Wi-Fi 6 (802.11ax)	Ingebouwd display	✗
WLAN gegevensoverdrachtsnelheid (max) *	3000 Mbit/s	Type product *	Desktop/polerouter
Wi-Fi-standaarden	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Certificaten	
WLAN gegevensoverdrachtsnelheid (eerste band)	574 Mbit/s	Certificaten van naleving	CE, RoHS
WLAN gegevensoverdrachtsnelheid (tweede band)	2402 Mbit/s	Inhoud van de verpakking	
Netwerk		Meegeleverde kabels	LAN (RJ-45)
Ethernet LAN *	✓	Inclusief AC-adapter	✓
Interfacetype Ethernet LAN *	Gigabit Ethernet	Snelle installatiehandleiding	✓
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Antenne	
Bekabelingstechnologie	10/100/1000Base-T(X)	Antenne-ontwerp *	Intern & extern
Port forwarding	✓	Aansluiting antenne	SMA
Poortactivering	✓	Energie	
Dynamic DNS (DDNS)	✓	Type stroombron *	AC
Aantal gastnetwerken (2.4 GHz)	1	AC-ingangsspanning	100 - 240 V
Aantal gastnetwerken (5 GHz)	1	AC-ingangsfrequentie	50/60 Hz
Mobiel netwerken		Spanning	12 V
Generatie mobiel internet	5G	Output current	2 A
		Eisen aan de omgeving	
		Bedrijfstemperatuur (T-T)	0 - 40 °C

Mobiel netwerken		Eisen aan de omgeving	
3G standaarden	DC-HSDPA, HSPA, HSPA+, UMTS	Temperatuur bij opslag	-40 - 70 °C
4G standaard	LTE-TDD & LTE-FDD	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
5G-banden ondersteund	700,800,850,900,1800,2100,2300,2500,2600,3500,3700 MHz	Luchtvochtigheid bij opslag	5 - 90 procent
4G frequentie ondersteund	700,800,850,900,1800,2100,2300,2500,2600,3500,3700 MHz		
3G bands ondersteund	850,900,2100 MHz		
SIM card type	NanoSIM		
Poorten & interfaces		Minimale systeemeisen	
Aantal Ethernet LAN (RJ-45)-poorten *	2	Ondersteunt Windows	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 98SE, Windows NT, Windows RT 8.1, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
USB-poort *	✗		
Beheerfuncties			
Wifi Multimedia (WMM)/(WME)	✓		
Quality of Service (QoS)	✓		
Reset button	✓		
WPS Push Button Security	✓		
Beveiliging			
Ondersteunde beveiligingsalgoritmen	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK		
Toegang voor gasten	✓		
DoS aanval preventie	✓		
Ouderlijk toezicht	✓	Ondersteunt Linux	
Filtratie	✓		
IP-adresfilter	✓		
URL- filtering	✓		
DMZ support	✓		
		Ondersteunt Mac-besturingssysteem	✓
		Mac-compatibiliteit	✓
Gewicht en omvang		Verpakking	
Breedte	99 mm	Breedte verpakking	230 mm
Diepte	190 mm	Diepte verpakking	115 mm
Hoogte	99 mm	Hoogte verpakking	221 mm
Gewicht	610 g	Gewicht verpakking	1,27 kg
		Type verpakking	Doos
		Aantal producten inbegrepen	1 stuk(s)
Logistieke gegevens			
Douane productcode (TARIC)	8517620000		
Land van herkomst	China		



1210002610292



1210002610315

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.