Best Connectivity

LogiLink®
www.LogiLink.de

Art No. SC0006

Smoke Detector with fixed 10-year battery

Features:

- With fixed 10 years battery
- Celling or wall mounting
- Comply with EN14604:2005/AC-2008
- CPR Approval: 0786-CPR-21388
- VdS Approval: G214063
- Easy to install with mounting hardware included
- Suitable for any room
- Flash alarm indicator (red)
- Loud 85dB alarm signal
- Test button for easy testing
- Low battery signal
- Photoelectric chamber for early detection from all directions

Specification:

Power	Built-in DC3V(CR123A) lithium battery , Not replaceable
Standby Current	<8uA
Alarm Current	< 50mA
Alarm Volume	>85dB(A) at 3 meters
Alarm Sensitivity	0.1-0.17dB/m
Silence Time	Approx. 10 minutes
Device Sound Pattern	BI 0.5s - pause 0.5s – BI 0.5s – pause 0.5s – BI 0.5s – pause 1.5s, with the red LED flash, repeat this alarm pattern
LED indication and Silence Mode	LED blinks once every 40 seconds
Low Battery LED Indication	LED blinks once with chirp once every 40 seconds
Silence Mode	LED blinks once without sound every 8 seconds for 10 minutes

* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered namework of their respective owners.

EN 14604 VdS RoHS compliant CE

SC0006
4 052792 032116
Made in China

Best Connectivity

LogiLink®
www.LogiLink.de

Art No. SC0006

Smoke Detector with fixed 10-year battery

Attach the bracket to the plastic plugs and fix tightly the screws into the plastic plugs.





Where is the best to be installed.

* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered namework of their respective owners.

EN 14604 VdS RoHS compliant CE

SC0006
4 052792 032116
Made in China

Best Connectivity

LogiLink®
www.LogiLink.de

Art No. SC0006

Smoke Detector with fixed 10-year battery

Package Contents:
- 1 x Smoke detector
- 1 x Manual

Packaging Information:
- Packing Dimension: mm
- Packing Weight: kg
- Carton Dimension: mm
- Carton Q'ty: pcs
- Carton Weight: kg

* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered namework of their respective owners.

EN 14604 VdS RoHS compliant CE

SC0006
4 052792 032116
Made in China