

ZYXEL

Zyxel USG20W-VPN-EU0101F draadloze router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) Grijs, Rood

Merkl: Zyxel

Artikelcode: USG20W-VPN-EU0101F

Productnaam: USG20W-VPN-EU0101F

Zyxel USG20W-VPN-EU0101F. Wifi-band: Dual-band (2.4 GHz / 5 GHz), Wifi-standaard: Wi-Fi 5 (802.11ac), WLAN gegevensoverdrachtsnelheid (max): 1300 Mbit/s. Interfacetype Ethernet LAN: Gigabit Ethernet, Ethernet LAN, data-overdrachtsnelheden: 10,100,1000 Mbit/s, Bekabelingstechnologie: 10/100/1000Base-T(X). Ondersteunde beveiligingsalgoritmen: SSID, SSL/TLS. Type product: Draagbare router, Kleur van het product: Grijs, Rood, LED-indicatoren: Activiteit, LAN, Stroom, WAN, WLAN, WPS. Meegeleverde kabels: LAN (RJ-45)



WAN connection		Design	
Ethernet WAN *	✓	Product colour	Grey, Red
DSL WAN *	✗	Indication light	✓
SIM card slot *	✗	LED indicators	Activity, LAN, Power, WAN, WLAN, WPS
3G/4G USB modem compatibility *	✗	On/off switch	✓
Wireless LAN features		Product type *	Portable router
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Packaging content	
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)	Cables included	LAN (RJ-45)
WLAN data transfer rate (max) *	1300 Mbit/s	AC adapter included	✓
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Antenna	
Network		Antenna design *	External
Ethernet LAN *	✓	Antenna connector type	N-type
Ethernet LAN interface type *	Gigabit Ethernet	Antenna gain level (max)	3 dBi
Ethernet LAN data rates	10,100,1000 Mbit/s	Antennas quantity	3
Cabling technology	10/100/1000Base-T(X)	Detachable antenna(s)	✓
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Features	
Full duplex	✓	Heat dissipation	61.38 BTU/h
Auto MDI/MDI-X	✓	Mean time between failures (MTBF)	44000 h
Flow control support	✓	Electromagnetic compatibility	FCC Part 15 (Class B), IC, CE EMC (Class B), RCM, BSMI
VPN tunnels quantity	10	Safety	BSMI, UL
Mobile network		Power	
3G	✗	Power source type *	DC
4G	✗	Power consumption (typical)	18 W
Ports & interfaces		Operational conditions	
Ethernet LAN (RJ-45) ports *	4	Operating temperature (T-T)	0 - 40 °C
USB port *	✗	Storage temperature (T-T)	-30 - 70 °C
DC-in jack	✓	Operating relative humidity (H-H)	10 - 90%
		Storage relative humidity (H-H)	10 - 90%

Management features		Weight & dimensions	
Web-based management	✓	Width	216 mm
Quality of Service (QoS) support	✓	Depth	143 mm
Reset button	✓	Height	33 mm
		Weight	1.14 kg
Security		Packaging data	
Security algorithms	SSID, SSL/TLS	Package width	276 mm
Firewall	✓	Package depth	185 mm
Filtering	✓	Package height	98 mm
MAC address filtering	✓	Package weight	1.5 kg
System event log	✓	Logistics data	
DMZ support	✓	Harmonized System (HS) code	85176990
Protocols		Other features	
DHCP client	✓	USB ports quantity	1
DHCP server	✓	Frequency band	2.4 & 5
Universal Plug and Play (UPnP)	✓		



4718937590896

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.