







# BioniX F140

### Gaming Fan with PWM PST

- Best airflow to noise ratio
- Silent 3-phase motor
- 200 1 800 RPM (PWM control)
- Patented PWM Sharing Technology (PST) regulates fan speed synchronously
- Longer service life through low coil temperature







# **BioniX F140**

### Gaming Fan with PWM PST

The **BioniX F140** has the best airflow to noise ratio. The extreme silent 3-phase motor guarantees long gaming sessions without annoying noise. With a wide range of 200 to 1800 RPM, the **BioniX F140** is controllable with PWM to regulate the fan speed as needed. The optimised fan blade design ensures high pressure and high ventilation for your gaming case to get a higher airflow at lower noise generation.

The 3-phase motor with low coil temperature quadruples the

life span and we extend the warranty to 10 years.



### Specifications

140 (L ) x 140 ( W ) x 28 (H) mm
140 mm, 200 – 1 800 RPM (PWM-gesteuert)
104 CFM / 176 m³/h
Fluid Dynamic Bearing
0.6 Sone
0.25 A / + 12 V DC
184 g



### Low Motor Temperature - 4 x Life Span

 $10\,^{\circ}$ C lower motor temperature doubles the life span. The BioniX gaming fans have a four times longer service life through low coil temperature.












# **BioniX F140**

## Gaming Fan with PWM PST

#### Silent 3-Phase Motor

Extreme silent operation through 3-phase motor guarantees long gaming sessions without annoying noise.



#### 200 to 1800 RPM

With a wide range of regulation and the PWM Sharing Technology (PST), the BioniX F140 fan speed can be controlled synchronously with all your other fans together and thus keep the noise at a minimum while guaranteeing maximum cooling performance when needed.



### **Optimised Fan Design**

We further optimised the fan blade design to get a higher airflow at lower noise generation. This guarantees high pressure and highly efficient ventilation for your gaming case.

