

MSI MAG X670E TOMAHAWK WIFI moederbord AMD X670 Socket AM5 ATX

Merk : MSI

Artikelcode: MAG X670E TOMAHAWK WIFI

Productnaam : MAG X670E TOMAHAWK WIFI

MSI MAG X670E TOMAHAWK WIFI. Processorfabrikant: AMD, Processor socket: Socket AM5, Compatibele processors: AMD Ryzen™ 7. Ondersteunde geheugen types: DDR5-SDRAM, Maximum intern geheugen: 128 GB, Geheugen kanaal: Dubbelkanaals. Ondersteunde opslagstationinterfaces: M.2, SATA, Soorten RAID: 0, 1, 10. Ethernet interface type: 2.5 Gigabit Ethernet, LAN controller: Realtek RTL8125-BG, Wifi-standaard: Wi-Fi 6E (802.11ax). Component voor: PC, Moederbord form factor: ATX, Moederbord chipset familie: AMD



Processor		Aansluitingen achterzijde	
Processorfabrikant *	AMD	Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type A *	2
Processor socket *	Socket AM5	Aantal poorten USB 3.2 Gen 2 (3.1 Gen 2) Type C *	1
Compatibele processors *	AMD Ryzen™ 7	Aantal USB 3.2 Gen 2.2 Type-C-poorten	1
AMD Opteron series	7000	Aantal Ethernet LAN (RJ-45)-poorten *	1
Max. aantal SMP-processoren	1	Aantal HDMI-poorten *	1
Supported processor sockets	Socket AM5	HDMI versie	2.1
Geheugen		Aantal DisplayPorts	1
Ondersteunde geheugen types *	DDR5-SDRAM	DisplayPort versie	1.4
Aantal geheugenslots *	4	Microfoon, line-in ingang	✓
Geheugen kanaal	Dubbelkanaals	S/PDIF-uitgang	✓
ECC compatibility	Niet-ECC	Netwerk	
Supported memory clock speeds	4800,5000,5200,5400,5600,5800,6000,6200,6400,6600 MHz	Ethernet LAN	✓
Ondersteunde geheugenkloksnelheid (max)	6600 MHz	Ethernet interface type	2.5 Gigabit Ethernet
Maximum intern geheugen *	128 GB	LAN controller	Realtek RTL8125-BG
Opslag-controllers		Wifi *	✓
Ondersteunde opslagstationinterfaces *	M.2, SATA	Wifi-standaard	Wi-Fi 6E (802.11ax)
RAID support	✓	Wi-Fi-standaarden	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Soorten RAID	0, 1, 10	Bluetooth	✓
Interne aansluitingen		Bluetooth-versie	5.3
USB 2.0 aansluitingen *	4	Kenmerken	
USB 3.2 Gen 1 (3.1 Gen 1)-aansluitingen *	4	Chipset moederbord *	AMD X670
USB 3.2-connectoren (3.1 Gen 2) *	1	Audiochip	Realtek ALC1200
Aantal SATA III connectors *	4	Audio-uitgangskanalen *	7.1 kanalen
Aansluiting voor audiopaneel aan voorzijde	✓	Kleur van het product	Zwart
Voorpaneel-connector	✓	Component voor *	PC
ATX Power connector (24-pin)	✓	Moederbord form factor *	ATX
Aansluiting voor CPU koeler	✓	Moederbord chipset familie *	AMD
Chassis intrusion aansluiting	✓	Type stroombron	ATX
TPM connector	✓	Ondersteunt Windows	Windows 10, Windows 11
RGB LED-aansluitrail	✓	Uitbreidingsmodules	
Aansluitingen achterzijde		PCI Express x1 (Gen 3.x) slots	1
Aantal USB 2.0-poorten *	4		

Aansluitingen achterzijde

Aantal poorten USB 3.2 Gen 1 (3.1 Gen 1) Type A * 4

Uitbreidingsmodules

PCI Express x16 (Gen 4.x) sleuven 2
PCI Express x16 (Gen 5.x) sleuven 1
Aantal M.2 (M) slots 4

Gewicht en omvang

Breedte 243,8 mm
Diepte 304,8 mm



4711377076562

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-OCT-2024. Prints or copies of Information are only valid on the printed Publication date